

DAILY SCIENCE LOG BOOK

MISSION
NUMBER

2012-67

DATE:

From: OCT 9

to: NOV 4

VESSEL:

W.E. RICKER

PROJECT(S):

MARC TRUDGEL - HIGH SEAS SALMON

Book 1 of 2

Water Properties Group
Fisheries and Oceans Canada
Institute of Ocean Sciences
Ocean Sciences Division
North Saanich, BC, Canada

WaterProperties.ca

Captain: SCOTT BOAR First Officer: TAM COPPING

Second Officer: SCOTT MCCOLL Third Officer: _____

Fishing Master: _____

Mission Participants / Agencies: PAS / 105 /ovic

[illegible][illegible]

Data logging computer: DELL

Data acquisition program: SEASAVE SBE 911 PLUS

CTD deck unit make: SBE model: 11 serial number: 0424

Primary CTD

Make: SB model: 9 serial number: 443

Primary temperature serial number: 2106

Primary conductivity serial number: 1764

Secondary temperature serial number: 2710

Secondary conductivity serial number: 2128

Transmissometer: Model: _____ s/n: _____

Fluorometer: Model WET-LABS Cable gain: - s/n: 2216 P, S or NO pump?

Oxygen sensor: SB Model: 43 s/n: 0997 P, S or NO pump?

PAR sensor: _____ Model: _____ s/n: _____

Other sensors: PH - SB s/n: 0851 P, S or NO pump?

Other sensors: _____ s/n: _____ P, S or NO pump?

Other sensors: _____ s/n: _____ P, S or NO pump?

Other sensors: _____ s/n: _____ P, S or NO pump?

Secondary CTD

Make: _____ model: _____ serial number: _____

Primary temperature serial number: _____

Primary conductivity serial number: _____

Secondary temperature serial number: _____

Secondary conductivity serial number: _____

Transmissometer: _____ Model: _____ s/n: _____

Fluorometer: Model _____ Cable gain: _____ s/n: _____ P, S or NO pump?

Oxygen sensor: _____ Model: _____ s/n: _____ P, S or NO pump?

PAR sensor: _____ Model: _____ s/n: _____

Other sensors: _____ s/n: _____ P, S or NO pump?

Other sensors: _____ s/n: _____ P, S or NO pump?

Other sensors: _____ s/n: _____ P, S or NO pump?

Other sensors: _____ s/n: _____ P, S or NO pump?

CTD calibration bottle location (height above CTD in metres):

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 1 of 1

Month OCTOBER				Year 2012			Ship W.E. RICKER			Cruise ID 2012-67					
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
10	IF05	1408	BE	CTD		001	48° 31.29	124° 29.31	86			0	H.M.	✓	CALLED IF 01 in FILE
		1411	BO				48° 31.29	124° 29.30		75					SHOULD BE IF05
		1412	EN				48° 31.29	124° 29.30							
			BE	NET		002									BONGO
		14:44	BE	TRAWL		003	48 31.40	124 30.58		SURFACE TOW					TRAWL
10	IF06	1604	BE	CTD		004	48° 33.39	124° 42.30	101						T: 9.82 S: 31.32
		1607	BO				48° 33.40	124° 42.31		90		0			
		1609	EN				48° 33.42	124° 42.30							
		1611	BE	NET		005	48° 33.42	124° 42.32							BONGO
		1620	BE	TRAWL		006	48 33.8	124 43.45		15M HEADROPE DEPTH					TRAWL
10	V101	1950	BE	CTD		007	48° 47.80	125° 23.01	91			0			T: 9.74 S: 31.72
		2000	BO				48° 47.79	125° 23.03		81					
		2002	EN				48° 47.79	125° 23.05							
		2005	BE	NET		008	48° 47.75	125° 23.00							BONGO
		2020	BE	TRAWL		009	48 47.25	125 24.05		SURFACE TOW					TRAWL

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 2 of

Month <u>OCTOBER</u>		Year <u>2012</u>		Ship <u>W.E. RICHER</u>		Cruise ID <u>2012-67</u>									
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
10	VI 02	2149	BE	CTD		010	48° 40.90	125° 35.75	144			0	H.M.		T: 10.96 S: 32.35
		2151	BO				48° 40.90	125° 35.79		135					
		2154	EN				48° 40.93	125° 35.80							
		2156	BE	NET		011	48° 40.86	125° 35.83							
		22:13	BE	TRAWL		012	48° 40.41	125° 36.76		15m HEADROPE DEPTH					
10	VI 03	2319	BE	CTD		013	48° 35.60	125° 42.80	61			0			T: 11.38 S: 32.32
		2320	BO				48° 35.59	125° 42.78		54					
		2321	EN				48° 35.59	125° 42.77							
		2323	BE	NET		014	48° 35.58	125° 42.73							
		2340	BE	TRAWL		015	48° 35.125	125° 43.31		30m HEADROPE DEPTH					
11	VI 04	1409	BE	CTD		016	49° 06.07	126° 00.22	43			0			T: 11.01 S: 31.57
		1411	BO				49° 06.09	126° 00.24		35					
		1412	EN				49° 06.10	126° 00.25							
		1415	BE	NET		017	49° 06.15	126° 00.25							
		1431	BE	TRAWL		018	49° 05.86	126° 01.32		SURFACE TOW					

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop
MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 3 of

Month <u>OCTOBER</u>				Year <u>2012</u>				Ship <u>W.E. RICKER</u>				Cruise ID <u>2012-67</u>			
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
11	VI 05	1526	BE	CTD		019	49° 03.40	126° 06.13	56			0	A.M.		T: 9.73 S: 31.76
		1528	BO				49° 03.43	126° 06.13		50					
		1529	EM				49° 03.45	126° 06.13							
		1533	BE	NET		020	49° 03.56	126° 06.13							BONGO
		1551	BE	TRAWL		021	49° 03.045	126° 06.99	15m	HEADROPE DEPTH					TRAWL
11	VI 06	1655	BE	CTD		022	48° 59.73	126° 12.00	90			0			T: 9.71 S: 31.67
		1657	BO				48° 59.79	126° 12.02		80					
		1700	EM				48° 59.86	126° 12.00							
		1703	BE	NET		023	48° 59.91	126° 11.99							BONGO
		17:22	BE	TRAWL		024	48° 59.8	126° 12.97		SURFACE TOW					TRAWL
11	VI 07	1825	BE	CTD		025	48° 55.48	126° 18.94	137			0			T: 10.20 S: 32.24
		1829	BO				48° 55.48	126° 18.96		130					
		1833	EM				48° 55.48	126° 18.97							
		18	BE	NET		026	48° 55.	126° 18.							BONGO
		1903	BE	TRAWL		027	48° 55.05	126° 19.83	30m	HEADROPE DEPTH					TRAWL

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop

MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 4 of

Month <u>OCTOBER</u>				Year <u>2012</u>			Ship <u>W.E. RICHER</u>				Cruise ID <u>2012-67</u>				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
11	V108	2003	BE	CTD		028	48° 51.39	126° 24.24	172			0	H.M.		T: 10.69 S: 31.75
		2007	BO				48° 51.39	126° 24.23		165					
		2010	CM				48° 51.40	126° 24.21							
		2013	BE	NET		029	48° 51.41	126° 24.22		150					BONGO
		2033	BE	TRAWL		030	48° 50.85	126° 24.66		SURFACE TOW					TRAWL
11	V109	2323	BE	CTD		031	49° 09.52	126° 23.33	89			0			T: 9.54 S: 32.4
		2326	BO				49° 09.53	126° 23.29		80					
		2327	CM				49° 09.55	126° 23.29							
		2330	BE	NET		032	49° 09.57	126° 23.26							BONGO
		2344	BE	TRAWL		033	49° 10.33	126° 23.33		SURFACE TOW					TRAWL
12	EP01	1403	BE	CTD		034	49° 20.44	126° 32.95	46			1		✓	T: 10.59 S: 31.64
		1405	BO				49° 20.48	126° 32.95		40					BOT @ 10m SAL/CHL/NUIS
		1407	CM				49° 20.48	126° 32.98							
		1410	BE	NET		035	49° 26.45	126° 33.00		36					BONGO
		1420	BE	TRAWL		036	49° 20.16	126° 33.68	55	SURFACE TOW					TRAWL

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop

MOR = Mooring

NET = Plankton Net Haul

DRF = Drifter

=

Bottle Firing Method:

US = Up / Stop

UN = Up / No stop

DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast

BO = Bottom Time of Cast

EN = End Time of Cast

DE = Deployment Time

MR = Messenger Release Time

RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 5 of

Month <u>OCTOBER</u>				Year <u>2012</u>			Ship <u>W.E. RICKER</u>				Cruise ID <u>2012-67</u>				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
12	EP 02	1520	BE	CTD		037	49° 19.03	126° 36.28	85			1	H.m.		T: 10.24 S: 31.69
		1522	BO				49° 19.05	126° 36.31		80					BOT@10m - SAL/CHL/TEMP
		1524	EN				49° 19.05	126° 36.34							
		1528	BE	NET		038	49° 19.09	126° 36.37		70					BONGO
		1552	BE	TRAWL		039	49 18.61	126 36.84	Tow	AT 15m					TRAWL
12	EP 03	1643	BE	CTD		040	49° 16.90	126° 40.47	112			1			T: 9.73 S: 31.86
		1646	BO				49° 16.95	126° 40.50		105					BOT@10m - SAL/CHL/TEMP
		1649	EN				49° 17.00	126° 40.55							
		1652	BE	NET		041	49° 17.01	126° 40.60		100					BONGO
		1713	BE	TRAWL		042	49 16.66	126 41 33	SURFACE	Tow					TRAWL
12	EP 04	1801	BE	CTD		043	49° 14.58	126° 45.22	122			1			T: 9.95 S: 32.27
		1804	BO				49° 14.61	126° 45.25		115					BOT@10m - SAL/CHL/TEMP
		1807	EN				49° 14.64	126° 45.27							
		1810	BE	NET		044	49° 14.69	126° 45.30		110					BONGO
		1859	BE	TRAWL		045	49 14.34	126 45.41	Tow AT	30m					TRAWL

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 6 of

Month <u>OCTOBER</u>				Year <u>2012</u>			Ship <u>W.E. RICKER</u>				Cruise ID <u>2012-67</u>					Page <u>5</u> of <u>5</u>
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments	
							Latitude	Longitude								
12	EP 05	1953	BE	CTD		046	49° 12.43	126° 49.68	142			1	H.M.		T: 9.71 S: 32.33	
		1956	BO				49° 12.46	126° 49.70		135					BOT@10m - SAL/CAL/HUES	
		1959	EN				49° 12.48	126° 49.71								
		2001	BE	NET		047	49° 12.49	126° 49.72		130					BONGO	
		2021	BE	TRAWL		048	49 12.22	126 50.59		TOW AT	50FMS				TRAWL	
12	EP 06	2107	BE	CTD		049	49° 10.64	126° 54.40	184			1			T: 10.52 S: 31.76	
		2110	BO				49° 10.66	126° 54.41		175					BOT@10m - SAL/CAL/HUES	
		2114	EN				49° 10.68	126° 54.41								
		2117	BE	NET		050	49° 10.70	126° 54.41		150					BONGO	
		2137	BE	TRAWL		051	49 10.26	126 55.11		TOW AT	15m				TRAWL	
12	EP 07	2227	BE	CTD		052	49° 08.23	126° 58.73	431			1			T: 10.84 S: 31.45	
		2231	BO				49° 08.25	126° 58.72		250					BOT@10m - SAL/CAL/HUES	
		2236	EN				49° 08.27	126° 58.71								
		2239	BE	NET		053	49° 08.27	126° 58.71		150					BONGO	
		2258	BE	TRAWL		054	49 08.89	126 58.67		TOW AT	30m				TRAWL	

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 7 of

Month <u>OCTOBER</u>		Year <u>2012</u>		Ship <u>W.E. RICKER</u>		Cruise ID <u>2012-67</u>									
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
13	VI 10	1406	BE	CTD		055	49° 32.24	127° 08.39	137			0	H.M.	✓	T: 10.93 S: 31.43
		1408	BO				49° 32.26	127° 08.42		130					
		1412	EN				49° 32.28	127° 08.45							
		1415	BE	NET		056	49° 32.34	127° 08.47		125					BONGO
		1436	BE	TRAWL		057	49 33.01	127 07.8	TOW AT SURFACE						TRAWL
13	VI 11	1530	BE	CTD		058	49° 35.57	127° 02.54	107			0			T: 9.78 S: 31.94
		1533	BO				49° 35.62	127° 02.62		100					
		1536	EN				49° 35.65	127° 02.67							
		1539	BE	NET		059	49° 35.68	127° 02.67		98					BONGO
		1558	BE	TRAWL		060	49 36.36	127 02.10	TOW AT 15m						TRAWL
13	VI 12	1657	BE	CTD		061	49° 38.49	126° 56.97	47			0			T: 10.41 S: 31.62
		1658	BO				49° 38.47	126° 56.98		40					
		1659	EN				49° 38.47	126° 57.00							
		1702	BE	NET		062	49° 38.50	126° 57.02		37					BONGO
		1718	BE	TRAWL		063	49 38.87	127 58.21	TOW AT SURFACE						TRAWL

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop

MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Notes:

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 8 of

Month <u>OCTOBER</u>			Year <u>2012</u>			Ship <u>W.E. RICKER</u>			Cruise ID <u>2012-67</u>						
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
13	VI 13	2006	BE	CTD		064	49° 48.66	127° 31.77	86			0	U.M.		T: 10.02 S: 31.42
		2008	BO				49° 48.68	127° 31.79		80					
		2010	EN				49° 48.69	127° 31.81							
		2014	BE	NET		065	49° 48.71	127° 31.82		75					BONGO
		2032	BE	TRAWL		066	49° 49.22	127° 31.17		Tow AT SURFACE					TRAWL
13	VI 14	2132	BE	CTD		067	49° 52.50	127° 26.30	70			0			T: 11.08 S: 31.38
		2134	BO				49° 52.51	127° 26.34		60					
		2136	EN				49° 52.52	127° 26.37							
		2139	BE	NET		069	49° 52.52	127° 26.42							BONGO
		2155	BE	TRAWL		069	49° 52.79	127° 25.99		Tow AT 15M					TRAWL
13	VI 15	2300	BE	CTD		070	49° 55.43	127° 19.36	58			0			T: 11.45 S: 31.23
		2301	BO				49° 55.43	127° 19.35		50					
		2302	EN				49° 55.44	127° 19.34							
		2305	BE	NET		071	49° 55.45	127° 19.32		49					BONGO
		2322	BE	TRAWL		072	49° 55.9	127° 20.1		Tow AT SURFACE					TRAWL

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 9 of

Month		Year		Ship		Cruise ID									
OCTOBER		2012		W.E. RICHER		2012-67									
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information	Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Fl. 50 Cleaned	Comments	
							Latitude	Longitude							
14	101 01	1403	BE	CTD		073	50° 26.60	127° 31.11	189			0	H.M.	✓	T: 11.10 S: 29.23
		1408	BO				50° 26.64	127° 31.11		180					
		1413	EM				50° 26.69	127° 31.12							
		1415	BE	NET		074	50° 26.72	127° 31.07		150					BONGO
		1435	BE	TRAWL		075	50° 27.64	127° 32.04	Tow	AT	SURFACE				TRAWL
14	101 02	1529	BE	CTD		076	50° 31.61	127° 37.20	93			0			T: 10.97 S: 31.77
		1531	BO				50° 31.61	127° 37.22		85					
		1533	EM				50° 31.61	127° 37.23							
		1535	BE	NET		077	50° 31.62	127° 37.26		84					BONGO
		1553	BE	TRAWL		078	50° 31.63	127° 38.05	Tow	AT	15m				TRAWL
14	101 03	1634	BE	CTD		079	50° 30.38	127° 41.52	137			0			T: 11.41 S: 29.16
		1637	BO				50° 30.35	127° 41.45		130					
		1640	EM				50° 30.35	127° 41.42							
		1643	BE	NET		080	50° 30.36	127° 41.37		118					BONGO
		1701	BE	TRAWL		081	50° 30.24	127° 42.31	Tow	AT	SURFACE				TRAWL

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop
MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 10 of

Month		OCTOBER		Year		2012		Ship				W.E. RICHER				Cruise ID				2012-67		Page		10 of	
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments										
							Latitude	Longitude																	
14	1V1 04	1750	BE	CTD		082	50° 28.52	127° 48.17	150			0	H.M.		T: 11.45 s: 27.43										
		1754	BO				50° 28.48	127° 48.13		140															
		1757	EN				50° 28.45	127° 48.08																	
		1759	BE	NET		083	50° 28.44	127° 48.05		150															
		1820	BE	TRAWL		084	50 28.66	127 48.71		TOW	AT 15m				BONGO TRAWL										
14	1V1 05	1903	BE	CTD		085	50° 28.12	127° 53.30	150			0			T: 11.19 s: 31.72										
		1907	BO				50° 28.10	127° 53.14		170															
		1910	EN				50° 28.09	127° 53.03																	
		1913	BE	NET		086	50° 28.08	127° 52.93																	
		1930	BE	TRAWL		087	50 28.18	127 53.84		TOW	AT SURFACE				BONGO TRAWL										
14	1V1 06	2005	BE	CTD		088	50° 27.85	127° 56.87	228			0			T: 11.13 s: 31.61										
		2010	BO				50° 27.86	127° 56.83		220															
		2014	EN				50° 27.86	127° 56.82																	
		2017	BE	NET		089	50° 27.87	127° 56.82																	
		2037	BE	TRAWL		090	50 27.46	127 57.27		TOW	AT 15m				BONGO TRAWL										
Cast Type: USW = Sea Water Loop Bottle Firing Method: Time Code:																									

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop
MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 11 of

Month OCTOBER				Year 2012			Ship W.E. RICKER			Cruise ID 2012-67				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information	Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude Longitude							
14	VI 16	2204	BE	CTD		091	50° 21. 56 128° 05. 67	91			0	H.M.		T: 10.97 S: 31.58
		2206	BO				50° 21. 55 128° 05. 72		70					
		2208	EN				50° 21. 53 128° 05. 74							
		2213	BE	NET		092	50° 21. 57 128° 05. 87		70					BONGO
		2231	BE	TRAWL		093	50 21. 30 128 07. 19		Tow AT 15m					TRAWL
14	VI 17	2334	BE	CTD		094	50° 18. 28 128° 11. 92	174			0			T: 11.53 S: 31.87
		2337	BO				50° 18. 34 128° 11. 98		165					
		2341	EN				50° 18. 38 128° 12. 04							
		2344	BE	NET		095	50° 18. 45 128° 12. 12		150					BONGO
15		00:04	BE	TRAWL		096	50 18. 50 128 13. 30		Tow AT 15m					TRAWL
15	T 08	1403	BE	CTD		097	50° 42. 42 129° 29. 07	1096			1		✓	T: 11.21 S: 31.97
		1409	BO				50° 42. 51 129° 29. 04		250					BOT 10m. SOL/CHC/400g
		1417	EN				50° 42. 66 129° 29. 01							
		1420	BE	NET		098	50° 42. 73 129° 28. 93		150					BONGO
		1444	BE	TRAWL		099	50 43. 44 129 28. 34		Tow AT 15m					TRAWL

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop
MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Notes:

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 12 of

Month OCTOBER				Year 2012			Ship W.E. RICKER				Cruise ID 2012-67				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
15	T 07	1618	BE	CTD		100	50°49.38	129°13.54	108			1	4.m.		T: 10.30 S: 32.01
		1620	BO				50°49.49	129°13.48		90					Bottom. SAL/CAL/NOTES
		1623	EN				50°49.62	129°13.40							
		1627	BE	NET		101	50°49.72	129°13.32		85					BONGO
		1647	BE	TRAWL		102	50 51.15	129 12.32		Tow	AT 15m				TRAWL
15															
16	QEST 1	1425	BE	CTD	2 nd	103	50°48.73	127°36.65	386			0			T: 9.75 S: 32.06
		1431	BO				50°48.66	127°36.62		250					
		1436	EN				50°48.59	127°36.62							
		1415	BE	NET	1 st	104	50°48.84	127°36.99		150					BONGO
		1442	BE	TRAWL	3 rd	105	50 48.84	127 37.42		Tow	AT SURFACE				TRAWL
16	QEST 02	1615	BE	CTD		106	50°53.75	127°37.81	436			0			T: 9.36 S: 32.21
		1620	BO				50°53.78	127°37.86		250					
		1625	EN				50°53.77	127°37.91							
		1627	BE	NET		107	50°53.78	127°37.92		150					BONGO
		1647	BE	TRAWL		108	50 54 29	127 38.54		Tow	AT 15				TRAWL

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop

MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 13 of

Month OCTOBER			Year 2012			Ship W.E. RICKER			Cruise ID 2012-67						
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
16	QCST 03	1747	BE	CTD		109	50° 57. 22	127° 44. 21	290			0	H.M.		T: 9.02 S: 32.13
		1752	BO				50° 57. 17	127° 44. 26		250					
		1758	EN				50° 57. 11	127° 44. 28							
		1800	BE	NET		110	50° 57. 12	127° 44. 36		150					BONGO
		1820	BE	TRAWL		111	50 56. 83	127 43. 34		Tow	AT SURFACE				TRAWL
16	QCST 04	1932	BE	CTD		112	50° 57. 28	127° 32. 52	135			0			T: 8.67 S: 31.97
		1935	BO				50° 57. 26	127° 32. 52		125					
		1938	EN				50° 57. 25	127° 32. 50							
		1941	BE	NET		113	50° 57. 24	127° 32. 50		125					BONGO
		2002	BE	TRAWL		114	50 56. 75	127 31. 67		Tow	AT 15 m				TRAWL
16	QCST 05	2129	BE	CTD		115	50° 50. 82	127° 18. 61	133			0			T: 8.91 S: 30.95
		2132	BO				50° 50. 80	127° 18. 61		125					
		2135	EN				50° 50. 79	127° 18. 63							
		2137	BE	NET		116	50° 50. 79	127° 18. 69		123					BONGO
		2156	BE	TRAWL		117	50 50. 32	127 19. 58		Tow	AT SURFACE				TRAWL

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop
MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 14 of

Month <u>OCTOBER</u>		Year <u>2012</u>		Ship <u>W.E. RICKER</u>		Cruise ID <u>2012-67</u>									
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
16	QCST 06	2239	BE	CTD		118	50° 48.33	127° 22.97	224			0	H.M.		T: 8.72 S: 31.30
		2244	BO				50° 48.30	127° 23.07		215					
		2248	EN				50° 48.26	127° 23.15							
		2251	BE	NET		119	50° 48.24	127° 23.18		150					BONGO
		2309	BE	TRAWL		120	50° 47.75	127° 24.15		Tow at 15m					TRAWL
17	QCST 07	1406	BE	CTD		121	50° 48.22	127° 35.09	372			0		✓	T: 9.26 S: 32.09
		1412	BO				50° 48.25	127° 35.08		250					
		1418	EN				50° 48.30	127° 35.03							
		1420	BE	NET		122	50° 48.31	127° 34.97		150					BONGO
		1444	BE	TRAWL		123	50° 48.34	127° 34.13		Tow at surface					TRAWL
17	QCST 08	1622	BE	CTD		124	50° 45.36	127° 17.82	248			0			T: 8.58 S: 31.62
		1628	BO				50° 45.45	127° 17.68		235					
		1634	EN				50° 45.51	127° 17.59							
		16	BE	NET		125	50° 45.	127° 17.							BONGO
		1658	BE	TRAWL		126	50° 45.99	127° 16.78		Tow at 30m					TRAWL

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop

MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast

DE = Deployment Time

MR = Messenger Release Time

RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 15 of

Month OCTOBER				Year 2012				Ship W.E. RICKER				Cruise ID 2012-67			
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
17	QCST 09	1756	BE	CTD		127	50° 47.78	127° 11.06	156			0	H.M.		T: 8.46 S: 31.40
		1759	BO				50° 47.84	127° 11.02		145					
		1803	EN				50° 47.87	127° 10.98							
		1805	BE	NET		129	50° 47.89	127° 10.89		146					BONGO
		1828	BE	TRAWL		129	50 48 74	127 10.28		Tow AT SURFACE					TRAWL
17	QCST 10	1924	BE	CTD		130	50° 50.10	127° 08.52	146			0			T: 8.44 S: 31.42
		1927	BO				50° 50.11	127° 08.50		135					
		1929	EN				50° 50.13	127° 08.50							
		1931	BE	NET		131	50° 50.15	127° 08.50		130					BONGO
		1949	BE	TRAWL		132	50 49.83	127 07.81		Tow AT 15m					TRAWL
17	QCST 11	2054	BE	CTD		133	50° 46.55	127° 00.49	161			0			T: 8.38 S: 31.71
		2056	BO				50° 46.56	127° 00.46		150					
		2059	EN				50° 46.55	127° 00.47							
		2103	BE	NET		134	50° 46.56	127° 00.50		150					BONGO
		2120	BE	TRAWL		135	50 46.08	127 01.24		Tow AT SURFACE					TRAWL

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop

MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 16 of

Month OCTOBER				Year 2012				Ship W.E. RICKER			Cruise ID 2012-67				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
17	QCST 12	2213	BE	CTD		136	50° 42.94	127° 01.41	161			0	H.M.		T: 8.40 S: 31.61
		2216	BO				50° 43.00	127° 01.31		155					
		2219	EN				50° 43.03	127° 01.26							
		2222	BE	NET		137	50° 43.05	127° 01.18		150					BONGO
		2240	BE	TRAWL		138	50° 43.26	127° 02.13		Tow AT 15 m.					TRAWL
17	QCST 13	2331	BE	CTD		139	50° 42.47	127° 07.67	161			0			T: 8.72 S: 31.95
		2335	BO				50° 42.54	127° 07.64		150					
		2337	EN				50° 42.56	127° 07.62							
		2340	BE	NET		140	50° 42.55	127° 07.64							BONGO
		2359	BE	TRAWL		141	50° 42.4	127° 08.52		Tow AT 30m					TRAWL
18	QCST 14	1407	BE	CTD		142	50° 42.12	126° 55.68	196			0		✓	T: 8.56 S: 31.93
		1411	BO				50° 42.15	126° 55.66		185					
		1414	EN				50° 42.13	126° 55.67							
		1417	BE	NET		143	50° 42.14	126° 55.62		150					BONGO
		1436	BE	TRAWL		144	50° 42.69	126° 55.515		Tow AT SURFACE					TRAWL

Cast Type:

USW - Sea Water Loop

Bottle Firing Method

Firing

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop
MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

CONFIRM # 2450

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 17 of

Month OCTOBER				Year 2012				Ship W.E. RICHER				Cruise ID 2012-67				Page 17 of	
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments		
							Latitude	Longitude									
18	QCST 15	1541	BE	CTD		145	50° 45.36	126° 50.26	160			0	H.M		T: 8.48 S: 30.88		
		1545	BO				50° 45.42	126° 50.36		150							
		1548	EN				50° 45.46	126° 50.39									
		1550	BE	NET		146	50° 45.45	126° 50.45							BONGO		
		1602	BE	TRAWL		147	50 45.2	126 50.2		Tow AT 15m					TRAWL		
18	QCST 16	1724	BE	CTD		148	50° 41.54	126° 46.88	132			0			T: 8.34 S: 31.79		
		1727	BO				50° 41.64	126° 46.88		120							
		1730	EN				50° 41.68	126° 46.88									
		1732	BE	NET		149	50° 41.72	126° 46.88		115					BONGO		
		1749	BE	TRAWL		150	50 41.3	126 47.0		Tow AT 30m					TRAWL		
18	QCST 17	1903	BE	CTD		151	50° 40.93	126° 51.25	186			0			T: 8.39 S: 32.02		
		1907	BO				50° 40.92	126° 51.26		175							
		1911	EN				50° 40.91	126° 51.27									
		1915	BE	NET		152	50° 40.91	126° 51.27		150					BONGO		
		1932	BE	TRAWL		153	50 40.27	126 50.5		Tow AT SURFACE					TRAWL		

Cast Type:

USW = Sea Water Log

Bottle Firing Method:

Firing Method:

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 18 of

Month				Year			Ship				Cruise ID				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
18	QCST 18	2024	BE	CTD		154	50° 36.73	126° 48.21	87			0	H.M.		T: 8.54 S: 31.68
		2026	BO				50° 36.75	126° 48.20		80					
		2028	EN				50° 36.75	126° 48.19							
		2030	BE	NET		155	50° 36.75	126° 48.17		80					BONGO
		2047	BE	TRAWL		156	50 36.61	126 49.31			Tow AT	15m			TRAWL
18	JS 01	2207	BE	CTD		157	50° 33.36	126° 48.14	423			0			T: 8.72 S: 31.52
		2213	BO				50° 33.40	126° 48.10		250					
		2218	EN				50° 33.38	126° 48.12							
		2221	BE	NET		158	50° 33.39	126° 48.12		150					BONGO
		2241	BE	TRAWL		159	50 33.21	126 46.87			Tow AT	SURFACE			TRAWL
18	JS 02	2354	BE	CTD		160	50° 30.58	126° 37.69	445			0			T: 8.73 S: 31.30
		2359	BO				50° 30.65	126° 37.71		250					
19		0004	EN				50° 30.67	126° 37.71							
		0007	BE	NET		161	50° 30.68	126° 37.70		150					BONGO
		0025	BE	TRAWL		162	50 30.86	126 39.05			Tow AT	15m.			TRAWL

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop

MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 19 of

Month OCTOBER				Year 2012			Ship W.E. RICKER				Cruise ID 2012-67				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
19	T 06	1407	BE	CTD		163	50° 55.47	129° 00.34	60			1	H.M.	✓	T: 10.43 S: 32.15
		1408	BO				50° 55.43	129° 00.35		50					BOT@10m - SAL/CAL/NOTS
		1410	EN				50° 55.39	129° 00.36							
		1413	BG	NET		164	50° 55.32	129° 00.39		50					BONGO
		1433	BE	TRAWL		165	50° 55.5	128° 59.6		TOW AT SURFACE.					TRAWL
19	T 05	1544	BE	CTD		166	51° 00.02	128° 52.10	61			1			T: 9.90 S: 32.12
		1546	BO				51° 00.01	128° 52.10		50					BOT@10m - SAL/CAL/NOTS
		1548	EN				51° 00.03	128° 52.15							
		1551	BE	NET		167	51° 00.02	128° 52.17		50					BONGO
		1606	BE	TRAWL		168	51° 00.3	128° 51.7		TOW AT 15 M.					TRAWL
19	T 04	1718	BE	CTD		169	51° 04.60	128° 43.70	61			1			T: 9.74 S: 32.24
		1720	BO				51° 04.60	128° 43.69		50					BOT@10m - SAL/CAL/NOTS
		1722	EN				51° 04.59	128° 43.68							
		1725	BG	NET		170	51° 04.60	128° 43.69							BONGO
		1739	BE	TRAWL		171	51° 05.1	128° 42.8		TOW AT SURFACE					TRAWL

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 20 of

Month <u>OCTOBER</u>				Year <u>2012</u>			Ship <u>W.E. RICKER</u>				Cruise ID <u>2012-67</u>				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
19	T 03	1845	BE	CTD		172	51° 08.35	128° 36.12	137			1	H.M.		T: 9.34 S: 32.31
		1847	BO				51° 08.37	128° 36.11		125					Boreion. SAL/CAL/HUTS
		1851	EN				51° 08.39	128° 36.06							
		1853	BE	NET		173	51° 08.41	128° 36.05		128					BONGO
		1912	BE	TRAWL		174	51 08.97	128 34.96			Tow at 15 m				TRAWL
19	T 02	2013	BE	CTD		175	51° 12.53	128° 28.12	192			1			T: 9.94 S: 32.20
		2016	BO				51° 12.57	128° 28.08		186					Boreion. SAL/CAL/HUTS
		2020	EN				51° 12.60	128° 28.06							
		2022	BE	NET		176	51° 12.62	128° 28.05		150					BONGO
		2041	BE	TRAWL		177	51 13.13	128 27.14			Tow at surface				TRAWL
19	T 01	2138	BE	CTD		178	51° 16.49	128° 20.13	79			1			T: 9.97 S: 32.11
		2139	BO				51° 16.51	128° 20.10		70					Boreion. SAL/CAL/HUTS
		2141	EN				51° 16.51	128° 20.06							
		2146	BE	NET		179	51° 16.52	128° 20.18		70					BONGO
		2221	BE	TRAWL		180	51 16 19	128 19.35			Tow at 15 m				TRAWL

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop

MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 21 of

Month <u>OCTOBER</u>				Year <u>2012</u>			Ship <u>W.E. RICKER</u>				Cruise ID <u>2012-67</u>				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
28	DC 01	2225	BC	CTD		181	52° 54.46	129° 18.77	255			1	H.M.	✓	T: 8.09 S: 29.12
		2230	BO				52° 54.43	129° 18.86		245					BOTEION - SAL/CHL/NOTS
		2235	EN				52° 54.40	129° 18.95							
		2238	BC	NET		182	52° 54.38	129° 18.99		150					BOTGO
		2254	BC	TRAWL		183	52° 54.6	129° 18.68							TRAWL
28	DC 02	2343	BC	CTD		184	52° 55.24	129° 17.31	232			1			T: 7.75 S: 28.4
		2347	BO				52° 55.18	129° 17.37		220					BOTEION - SAL/CHL/NOTS
		2352	EN				52° 55.12	129° 17.45							CTD CHL STATION
29	DC 03	0135	BC	CTD	2 nd	185	53° 03.20	129° 17.82	523			1			T: 7.76 S: 28.31
		0140	BO				53° 03.18	129° 17.84		250					BOTEION - SAL/CHL/NOTS
		0145	EN				53° 03.16	129° 17.86							
		0147	BC	NET	3 rd	186	53° 03.17	129° 17.87		150					BOTGO
		0051	BC	Tow	1 st	187	53 1.7	129 16.6							TRAWL

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes: _____

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast

DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 22 of

Month <u>OCTOBER</u>				Year <u>2012</u>			Ship <u>W. E. RICKER</u>				Cruise ID <u>2012-67</u>				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
29	DC 04	1404	BC	CTD		108	53° 23.42	129° 10.85	309			1	HM	✓	T: 7.76 S: 29.67
		1408	BO				53° 23.44	129° 10.85		250					BOT@10m - SAL/CHL/HUTS
		1414	CM				53° 23.47	129° 10.83							
		1416	BC	NET		109	53° 23.50	129° 10.80		150					BOT@10m
		1434	BC	TRAWL		190	53° 24.25	129° 11.67							TRAWL
										TOW AT SURFACE					
29	DC 05	1524	BC	CTD		191	53° 25.69	129° 12.11	393			1			T: 7.40 S: 29.02
		1528	BO				53° 25.71	129° 12.09		250					BOT@10m - SAL/CHL/HUTS
		1534	CM				53° 25.74	129° 12.07							CTD ONLY
29	DC 06	1605	BC	CTD		192	53° 29.46	129° 12.63	370			1			T: 7.39 S: 28.84
		1609	BO				53° 29.47	129° 12.64		250					BOT@10m - SAL/CHL/HUTS
		1614	CM				53° 29.47	129° 12.66							
		1617	BC	NET		193	53° 29.48	129° 12.68		150					BONGO
		1634	BC	TRAWL		194	53° 29.88	129° 12.33							TRAWL
										TOW AT 15m					
29	DC 07	1719	BC	CTD		195	53° 32.05	129° 11.93	334			1			T: 8.25 S: 30.59
		1725	BC				53° 32.08	129° 12.04		250					BOT@10m - SAL/CHL/HUTS
		1730	CM				53° 32.06	129° 12.08							CTD ONLY

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 23 of

Month <u>OCTOBER</u>				Year <u>2012</u>			Ship <u>W.E. RICKER</u>			Cruise ID <u>2012-67</u>					
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
29	DC 08	1755	BE	CTD		196	53° 34.90	129° 12.63	280			1	HM		T: 7.89 S: 30.15
		1800	BO				53° 34.89	129° 12.69		250					BOT@10m - SAL/CAL/NUTS
		1805	EN				53° 34.87	129° 12.74							
		1808	BE	NET		197	53° 34.84	129° 12.77	150						BONGO
		1829	BE	TRAWL		198	53° 35.44	129° 12.86		Tow AT 30m					TRAWL
29	DC 09	1913	BE	CTD		199	53° 37.23	129° 13.20	251			1			T: 7.24 S: 29.35
		1918	BO				53° 37.19	129° 13.27		240					BOT@10m - SAL/CAL/NUTS
		1924	EN				53° 37.18	129° 13.27							CTD ONLY
29	DC 10	1948	BE	CTD		200	53° 39.03	129° 10.25	392			1			T: 7.15 S: 29.15
		1953	BO				53° 39.02	129° 10.26		250					BOT@10m - SAL/CAL/NUTS
		1959	EN				53° 39.00	129° 10.27							
		2001	BE	NET		201	53° 38.98	129° 10.28		150					BONGO
		2020	BE	TRAWL		202	53° 39.34	129° 9.90		Tow AT SORENCH					TRAWL
29	DC 11	2130	BE	CTD		203	53° 40.85	129° 07.22	392			1			T: 7.31 S: 28.94
		2135	BO				53° 40.88	129° 07.15							BOT@10m - SAL/CAL/NUTS
		2140	EN				53° 40.92	129° 07.15							CTD ONLY

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 24 of

Month OCTOBER				Year 2012			Ship W.E. RICKER			Cruise ID 2012-67					
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
29	DC 12	2209	BC	CTD		204	53° 43.23	129° 03.03	362			1	H.M.		T: 7.38 S: 29.73
		2214	BO				53° 43.21	129° 03.05		250					Bottle on SAL/CHL/NUIS
		2219	EM				53° 43.21	129° 03.05							
		2222	BC	NET		205	53° 43.20	129° 03.06		150					BONGO
		2240	BC	TRAWL		206	53° 43.66	129° 02.42		Tow	AT 15m.				TRAWL
29	DC 13	2323	BC	CTD		207	53° 44.69	128° 59.92	314			1			T: 6.97 S: 28.98
		2328	BO				53° 44.68	128° 59.97		250					Bottle on SAL/CHL/NUIS
		2333	EM				53° 44.66	129° 00.03							CTD ONLY
		23					53° 44	12							
30	DC 14	0111	BC	CTD	2 nd	208	53° 48.64	128° 50.90	340			1			T: 7.39 S: 28.85
		0116	BO				53° 48.66	128° 50.94		268					Bottle on SAL/CHL/NUIS
		0122	EM				53° 48.65	128° 50.96							
		0125	BC	NET	3 rd	209	53° 48.65	128° 51.01		150					BONGO
30		0027	BC	TRAWL	1 st	210	53° 47.17	128° 53.95		Tow	AT SURFACE				TRAWL

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter
 =

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 25 of

Month OCTOBER				Year 2012			Ship W.E. RICKER			Cruise ID 2012-67					
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
30	DC 15	1403	BE	CTD		211	53° 57.84	128° 40.47	172			1	H.M.	✓	T: 7.32 S: 30.28
		1407	BO				53° 57.87	128° 40.48		160					BOT@10m - SAL/CHL/NOTS
		1411	CH				53° 57.92	128° 40.47							
		1414	BE	NET		212	53° 57.94	128° 40.44		150					BONGO
		1433	BE	TRAWL		213	53° 57.27	128° 40.81		Tow AT SURFACE					TRAWL
30	DC 16	1517	BE	CTD		214	53° 54.72	128° 43.27	232			1			T: 7.54 S: 30.52
		1521	BO				53° 54.75	128° 43.22		220					BOT@10m - SAL/CHL/NOTS
		1527	CH				53° 54.80	128° 43.20							CTD ONLY
30	DC 17	1552	BE	CTD		215	53° 52.21	128° 46.09	296			1			T: 7.18 S: 29.68
		1556	BO				53° 52.24	128° 46.16		250					BOT@10m - SAL/CHL/NOTS
		1602	CH				53° 52.26	128° 46.22							
		1604	BE	NET		216	53° 52.26	128° 46.19		150					BONGO
		1639	BE	TRAWL		217	53° 51.34	128° 47.59		Tow AT 15m					TRAWL
30	DC 18	1721	BE	CTD		218	53° 49.28	128° 49.42	336			1			T: 6.83 S: 29.03
		1726	BO				53° 49.32	128° 49.41		250					BOT@10m - SAL/CHL/NOTS
		1732	CH				53° 49.35	128° 49.34							CTD ONLY

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG BOOK

MISSION
NUMBER

2012-67

DATE:

From: OCT 9

to: NOV 4

VESSEL:

W. E. RICKER

PROJECT(S):

MARC TRUDEL - HIGHT SEAS SALMON

Book 2 of 2

Water Properties Group
Fisheries and Oceans Canada
Institute of Ocean Sciences
Ocean Sciences Division
North Saanich, BC, Canada

WaterProperties.ca

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 26 of

Month <u>OCTOBER</u>				Year <u>2012</u>			Ship <u>W.E. RICKER</u>				Cruise ID <u>2012-62</u>				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
30	DC 19	1818	BE	CTD		219	53° 43.36	128° 48.66	311			1	14.11		T: 5.86 S: 26.63
		1822	BO				53° 43.40	128° 48.72		250					BOT 10m - SAL/CAL/NOTS
		1828	EN				53° 43.45	128° 48.80							
		1831	BE	NET		220	53° 43.47	128° 48.86		150					BONGO
		1849	BE	TRAWL		221	53° 42.56	128° 49.16		Tow AT SURFACE					TRAWL
30	DC 20	1934	BE	CTD		222	53° 39.99	128° 49.88	254	232		1			T: 6.44 S: 26.83
		1938	BO				53° 40.03	128° 49.84		220					BOT 10m - SAL/CAL/NOTS
		1943	EN				53° 40.09	128° 49.85							CTD ONLY
30	DC 21	2006	BE	CTD		223	53° 37.47	128° 50.63	184	165		1			T: 6.67 S: 26.91
		2009	BO				53° 37.46	128° 50.65		155					BOT 10m - SAL/CAL/NOTS
		2013	EN				53° 37.46	128° 50.68							
		2015	BE	NET		224	53° 37.45	128° 50.69		149					BONGO
		2034	BE	TRAWL		225	53° 36.8	128° 50.8		Tow AT 15 m					TRAWL
30	DC 22	2119	BE	CTD		226	53° 34.49	128° 51.20	162			1			T: 6.180 S: 24.76
		2122	BO				53° 34.51	128° 51.20		150					BOT 10m - SAL/CAL/NOTS
		2126	EN				53° 34.51	128° 51.17							CTD ONLY

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 27 of

Month <u>OCTOBER</u>				Year <u>2012</u>			Ship <u>W.C. RICHER</u>			Cruise ID <u>2012-67</u>					
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
30	DC 23	2203	BE	CTD		227	53° 33.52	128° 58.62	249			1	H.M.		T: 6.46 S: 27.29
		2207	BO				53° 33.53	128° 58.60		240					BOTBION - SAL/CAL/HOTS
		2212	EN				53° 33.55	128° 58.61							
		2214	BE	NET		228	53° 33.53	128° 58.63		150					BOTBIO
		2233	BE	TRAWL		229	53° 33.445	128° 57.8		TOW AT 30m.					TRAWL
30	DC 24	2317	BE	CTD		230	53° 32.62	128° 54.98	213			1			T: 6.39 S: 26.82
		2321	BO				53° 32.64	128° 54.96		210					BOTBION - SAL/CAL/HOTS
		2325	EN				53° 32.64	128° 54.94							CTD ONLY
31	DC 25	1404	BE	CTD		231	53° 28.20	129° 04.19	200			1		✓	T: 6.81 S: 29.84
		1408	BO				53° 28.27	129° 04.19		190					BOTBION - SAL/CAL/HOTS
		1413	EN				53° 28.32	129° 04.21							
		1416	BE	NET		232	53° 28.36	129° 04.20		150					BOTBIO
		1436	BE	TRAWL		233	53° 29.21	129° 04.56							TRAWL
31	DC 26	1524	BE	CTD		234	53° 31.44	129° 03.04	100			1			T: 6.58 S: 28.87
		1526	BO				53° 31.46	129° 03.02		90					BOTBION - SAL/CAL/HOTS
		1529	EN				53° 31.47	129° 02.99							CTD ONLY

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop

MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast

DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 28 of

Month OCTOBER				Year 2012			Ship W.E. RICHER			Cruise ID 2012-67					
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
31	DC 27	1615	BE	CTD		235	53° 28.80	128° 58.66	80			1	H.M.		T: 7.15 S: 30.11
		1616	BO				53° 28.81	128° 58.62		70					BOTE 10m - SAL/CHL/NUFS
		1619	EN				53° 28.80	128° 58.60							
		1623	BE	NET		236	53° 28.84	128° 58.52		77					BONGO
		1638	BE	TRAWL		237	53 28.31	128 58.32		Tow	AT 30m				TRAWL
31	DC 28	1721	BE	CTD		238	53° 26.96	128° 56.71	240			1			T: 7.65 S: 30.37
		1725	BO				53° 27.02	128° 56.78		230					BOTE 10m - SAL/CHL/NUFS
		1731	EN				53° 27.07	128° 56.87							CTD ONLY
31	DC 29	1759	BE	CTD		239	53° 23.96	128° 54.23	398			1			T: 7.75 S: 30.48
		1803	BO				53° 23.96	128° 54.30		250					BOTE 10m - SAL/CHL/NUFS
		1809	EN				53° 23.98	128° 54.35							
		1811	BE	NET		240	53° 24.00	128° 54.37		150					BONGO
		1829	BE	TRAWL		241	53 23.29	128 54.35		Tow	AT SURFACE				TRAWL
31	DC 30	1912	BE	CTD		242	53° 20.19	128° 54.46	473						T: 7.98 S: 30.74
		1917	BO				53° 20.19	128° 54.41		250					BOTE 10m - SAL/CHL/NUFS
		1922	EN				53° 20.20	128° 54.41							CTD ONLY

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop
 MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Month OCTOBER

Year 2012

Ship W. E. RICKER

Page 29 of

Cruise ID 2012-67

Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
31	DC 31	1951	BE	CTD		243	53° 18.52	128° 58.89	400			1	H.M.		T: 7.97 S: 29.58
		1956	BO				53° 18.51	128° 58.91		250					BOT@10m SAL/CAL/NOTS
		2001	EN				53° 18.51	128° 58.90							
		2004	BE	NET		244	53° 18.50	128° 58.91							BONGO
		2022	BE	TRAWL		245	53° 18.63	128° 59.93		Tow	AT 15m.				TRAWL
31	DC 32	2106	BE	CTD		246	53° 19.32	129° 04.00	420			1			T: 7.77 S: 29.63
		2110	BO				53° 18.35	129° 03.96		250					BOT@10m SAL/CAL/NOTS
		2115	EN				53° 18.36	129° 03.92							CTD ONLY
31	DC 33	2140	BE	CTD		247	53° 17.02	129° 08.08	522			1			T: 7.79 S: 29.88
		2144	BO				53° 17.02	129° 08.13		250					BOT@10m SAL/CAL/NOTS
		2149	EN				53° 17.01	129° 08.16							
		2151	BE	NET		248	53° 17.00	129° 08.17		150					BONGO
			BE	TRAWL		249									TRAWL
31	DC 34	2252	BE	CTD		250	53° 14.01	129° 07.89	532			1			T: 7.89 S: 29.85
		2256	BO				53° 14.03	129° 07.89		250					BOT@10m SAL/CAL/NOTS
		2301	EN				53° 14.04	129° 07.91							CTD ONLY

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop
MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 30 of

Month		OCTOBER/NOV		Year		2012		Ship		W. G. RICHER		Cruise ID		2012-67	
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
31	DC 35	2328	BE	CTD		251	53°10.72	129°07.83	567			1	H.M.		T: 7.64 S: 29.76
		2332	BO				53°10.70	129°07.81		250					NOTE 10m - SAL/CHL/HUTS
		2337	EN				53°10.68	129°07.82							
		2340	BE	NET		252	53°10.66	129°07.83							BONGO
			BE	TRAWL		253									TRAWL
1	DC 36	0043	BE	CTD		254	53°07.29	129°07.43	559			1			T: 7.89 S: 29.86
		0048	BO				53°07.28	129°07.42		250					NOTE 10m - SAL/CHL/HUTS
		0053	EN				53°07.27	129°07.43							CTD ONLY
1	DC 37	0214	BE	CTD		255	53°08.14	129°22.98	535			1			T: 7.94 S: 30.08
		0218	BO				53°08.15	129°23.01							NOTE 10m - SAL/CHL/HUTS
		0224	EN				53°08.15	129°23.04							CTD ONLY
1	DC 38	0318	BE	CTD		256	53°15.21	129°25.81	510			1			T: 7.85 S: 29.97
		0322	BO				53°15.23	129°25.77		250					NOTE 10m - SAL/CHL/HUTS
		0328	EN				53°15.21	129°25.72							CTD ONLY

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop

MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 32 of

Month NOVEMBER				Year 2012			Ship W.E. RICKER				Cruise ID 2012-67				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
2	JS 05	1741	BE	CTD		264	50° 29. 49	126° 21. 11	379			0	H.M.		T: 8.66 S: 30.03
		1746	BO				50° 29. 55	126° 21. 20		250					—
		1751	EM				50° 29. 59	126° 21. 26							
		1754	BE	NET		265	50° 29. 62	126° 21. 35		150					BONGO
		1814	BE	TRAWL		266	50 29. 83	126 20. 89	Tow AT		SURFACE.				TRAWL
2	JS 06	1915	BE	CTD		267	50° 29. 60	126° 14. 42	305			0			T: 8.71 S: 30.91
		1920	BO				50° 29. 59	126° 14. 44		250					—
		1924	EM				50° 29. 59	126° 14. 48							
		1927	BE	NET		268	50° 29. 59	126° 14. 50		150					BONGO
		1945	BE	TRAWL		269	50 29 41	126 13. 9	Tow AT		30m.				TRAWL
2	JS 07	2038	BE	CTD		270	50° 28. 34	126° 09. 11	329			0			T: 8.71 S: 30.92
		2043	BO				50° 28. 33	126° 09. 13		250					—
		2047	EM				50° 28. 33	126° 09. 12							
		2049	BE	NET		271	50° 28. 34	126° 09. 13		150					BONGO
		2108	BE	TRAWL		272	50° 28. 12	126 08. 38	Tow		AT SURFACE				TRAWL

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop

MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast
 DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 33 of

Month		Year		Ship		Cruise ID									
NOVEMBER		2012		W. E. RICKER		2012-67									
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
2	JS 08	2201	BE	CTD		273	50° 26.86	126° 01.92	124			0	H.M.		T: 8.70 S: 30.92
		2204	BO				50° 26.87	126° 01.91		116					/
		2206	EH				50° 26.87	126° 01.91							
		2210	BE	NET		274	50° 26.88	126° 01.93		114					BONGO
		2228	BE	TRAWL		275	50 26 76	126 01 31		Tow AT 15m					TRAWL
3	GS 01	1401	BE	CTD		276	50° 27.33	125° 04.32	652			0		✓	T: 8.62 S: 24.41
		1405	BO				50° 27.26	125° 04.35		250					/
		1410	EH				50° 27.17	125° 04.38							
		1413	BE	NET		277	50° 27.12	125° 04.39		150					BONGO
		1454	BE	TRAWL		278	50 26 58	125 04.83		Tow AT SURFACE					TRAWL
3	GS 02	1606	BE	CTD		279	50° 20.76	125° 06.74	516			0			T: 9.66 S: 26.56
		1611	BO				50° 20.80	125° 06.76		250					/
		1615	EH				50° 20.82	125° 06.75							
		1618	BE	NET		280	50° 20.85	125° 06.76		150					BONGO
		1646	BE	TRAWL		281	50 19.2	125 05.60		Tow AT 15m					TRAWL

Cast Type:

BOT = Bottle cast, no CTD
 CTD = CTD without Rosette
 ROS = Rosette plus CTD
 SET = Fish Set

USW = Sea Water Loop

MOR = Mooring
 NET = Plankton Net Haul
 DRF = Drifter

Bottle Firing Method:

US = Up / Stop
 UN = Up / No stop
 DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
 BO = Bottom Time of Cast
 EN = End Time of Cast

DE = Deployment Time
 MR = Messenger Release Time
 RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
 Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 34 of

Month NOVEMBER				Year 2012			Ship W.E. RICHER				Cruise ID 2012-67				
Day	Station Name	Time (UTC)	Time Code	Cast Type	Firing Method	Event Number	Positional Information		Bottom Depth	Max Depth	Sample Numbers	# of Bottles	Watch Keepers	Trans. Cleaned	Comments
							Latitude	Longitude							
3	GS 03	1729	BE	CTD		282	50° 17.67	125° 02.89	347			0	4.1.		T: 9.55 S: 26.96
		1734	BO				50° 17.64	125° 02.88		250					✓
		1738	EN				50° 17.66	125° 02.88							
		1741	BE	NET		283	50° 17.66	125° 02.88		150					BONGO
		1758	BE	TRAWL		284	50 16.98	125 02.24		Tow	AT SURFACE				TRAWL
3	GS 04	1901	BE	CTD		285	50° 17.77	124° 56.99	503			0			T: 9.73 S: 26.86
		1906	BO				50° 17.83	124° 56.97		250					✓
		1910	EN				50° 17.88	124° 56.96							
		1913	BE	NET		286	50° 17.89	124° 56.95		150					BONGO
		1931	BE	TRAWL		287	50 17.67	124 57.21		Tow	AT 15m				TRAWL
3	GS 05	2103	BE	CTD		288	50° 09.47	125° 02.69	455			0			T: 9.94 S: 27.56
		2108	BO				50° 09.44	125° 02.70		250					✓
		2112	EN				50° 09.43	125° 02.74							
		2115	BE	NET		289	50° 09.44	125° 02.74		150					BONGO
		2132	BE	TRAWL		290	50 08.99	125 03.37		Tow	AT SURFACE				TRAWL

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop

MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Notes:

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast
DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010

DAILY SCIENCE LOG

Ocean Sciences Division, Institute of Ocean Sciences

Page 35 of [illegible]

Cast Type:

BOT = Bottle cast, no CTD
CTD = CTD without Rosette
ROS = Rosette plus CTD
SET = Fish Set

USW = Sea Water Loop
MOR = Mooring
NET = Plankton Net Haul
DRF = Drifter

Bottle Firing Method:

US = Up / Stop
UN = Up / No stop
DN = Down / No stop

Time Code:

BE = Beginning Time of Cast
BO = Bottom Time of Cast
EN = End Time of Cast

DE = Deployment Time
MR = Messenger Release Time
RE = Recover Mooring Time

Transmissometer to be cleaned before each cast, do not use Ammonia products

Produced by the Water Properties Group, IOS

WaterProperties.ca
Version: 16 April 2010