

Dissolved Oxygen Analysis Log Sheet

Last Updated: December 2011

Institute of Ocean Sciences
Water Properties Group

Cruise and Analysis Information	Nisk	Sample ID	Flask 1	Depth (m)	Draw T 1 (°C)	OXY 1 (mL/L)	Comments	Nisk	Flask 2	Draw T 2 (°C)	OXY 2 (mL/L)	Comments
Cruise Number: <u>2014-03</u>	1	<u>001</u>	<u>612</u>	<u>95.0</u>	<u>7.9</u>	<u>3.336</u>		1	<u>3124</u>	<u>7.9</u>	<u>3.309</u>	
Event: <u>001</u>	2	<u>002</u>	<u>2087</u>	<u>95.0</u>	<u>7.9</u>	<u>3.232</u>		2				
Station: <u>S1-VIP</u>	3							3				
Event Time (UTC): <u>20:41</u>	4							4				
Event Date (UTC): <u>3-5-2014</u>	5							5				
Analysis Date: <u>03-12-2014</u>	6							6				
Analyst: <u>CB</u>	7							7				
Stdization Date: <u>03-12-2014</u>	8							8				
KIO ₃ N: <u>0.0098302</u>	9							9				
Standard Titer: <u>0.006990</u>	10							10				
Blank Titer: <u>0.0037</u>	11							11				
THIO N: <u>0.14179</u>	12							12				
Sample Flask <u>Yes</u>	13							13				
Water Seal? <u>No</u>	14							14				
Reagent Change? <u>MnCl₂</u>	15							15				
(Please circle reagent that was changed prior to sampling and standardization)	16							16				
NOTE NEW BATCH IN LOG BOOK	17							17				
	18							18				
	19							19				
	20							20				
	21							21				
	22							22				
	23							23				
	24							24				

IDENTIFICATION										YEAR		CA- WIRE		ST ANGLE		CRUISE		CONSEC.		1	2	3	4	5	6	7	8	9	10																																																																						
1										2										3										4										5										6										7										8										9										10									

IDENT. CODE										LATITUDE (N = +)										LONGITUDE (W = +)										1										2										3										4										5										6										7										8										9										10																																							
1										2										3										4										5										6										7										8										9										10										11										12										13										14										15																			
C NTRY.										INST.										DEG. °										MIN.										1										10										11										12										13										14										15																																																											
YEAR										MONTH										DAY										G.M.T.										1										10										11										12										13										14										15																																																											
TO BOTTOM										HOURS										1										10										11										12										13										14										15																																																																															
DEPTH										MAX.										S.A.M.										DEPT.										OBS.D.										1										10										11										12										13										14										15																																																	
9										8										7										6										5										4										3										2										1										11										12										13										14										15																													
UNASSIGNED										21										22										23										24										25										26										27										28										29										30										31										32										33										34										35									
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31										32										33										34										35																			
21										22										23										24										25										26										27										28										29										30										31																																																											

[illegible]

Dissolved Oxygen Analysis Log Sheet

Last Updated: December 2011

Institute of Ocean Sciences

Water Properties Group

Cruise and Analysis Information	Nisk ID	Nisk Int	Sample ID	Flask 1	Depth (m)	Draw T 1 (°C)	OXY 1 (mL/L)	Comments	Nisk ID	Flask 2	Draw T 2 (°C)	OXY 2 (mL/L)	Comments
Cruise Number: <u>2014-03</u>	1	☐	3	3061	211	8.9	0	22:12 PST.	1				
Event: <u>002</u>	2	☐	4	2089	211	8.8	0	done right after ①	2				
Station: <u>S1-BPS</u>	3	☐	5	1002	211	8.8	0	fixed @ 2300	3				
Event Date (Local): <u>3-5-2014</u>	4	☐	6	94	211	8.9	0	2400	4				
Analysis Date (Local): <u>03-12-2014</u>	5	☐	7	1059	211	9.2	0	fixed @ 6:01 PST 3/6/2014	5				
Analyst: <u>SM</u>	6	☐							6				
Stdization Date (Local): <u>03-12-2014</u>	7	☐							7				
KIO ₃ N: <u>0.0098302</u>	8	☐							8				
Standard Titer: <u>0.06990</u>	9	☐							9				
Blank Titer: <u>0.0037</u>	10	☐							10				
THIO N: <u>0.14179</u>	11	☐							11				
Sample Flask <u>Yes</u>	12	☐							12				
Water Seal? <u>No</u>	13	☐							13				
Reagent Change? <u>MnCl₂</u>	14	☐							14				
(Please circle reagent that was changed prior to sampling and standardization)	15	☐							15				
<u>NaI/NaOH</u>	16	☐							16				
<u>H₂SO₄</u>	17	☐							17				
NOTE NEW BATCH IN LOG BOOK	18	☐							18				
<u>KIO₃</u>	19	☐							19				
<u>THIO</u>	20	☐							20				
Notes:	21	☐							21				
	22	☐							22				
	23	☐							23				
	24	☐							24				

Dissolved Oxygen Analysis Log Sheet

Last Updated: December 2011

Institute of Ocean Sciences
Water Properties Group

depth = 5m -> recorded on label

Cruise and Analysis Information	Nisk ID	Nisk Int	Sample ID	Flask 1	Depth (m)	Draw T 1 (°C)	OXY 1 (mL/L)	Comments	Nisk ID	Flask 2	Draw T 2 (°C)	OXY 2 (mL/L)	Comments
Cruise Number: 2014-03	1	☐	8	2095	26	??	6.643	- Unsure if max depth sample	1				
Event: 3	2	☐						draw T not recorded. depth	2				
Station: QA#1	3	☐							3				
Event Date (Local): March 7, 2014	4	☐							4				
Analysis Date (Local): March 12, 2014	5	☐							5				
Analyst:	6	☐							6				
Stdization Date (Local): March 12, 2014	7	☐							7				
KIO ₃ N: 0.0098302	8	☐							8				
Standard Titer: 0.6990	9	☐							9				
Blank Titer: 0.0037	10	☐							10				
THIO N: 0.14179	11	☐							11				
Sample Flask	12	☐							12				
Water Seal? No	13	☐							13				
Reagent Change? MnCl ₂	14	☐							14				
(Please circle reagent that was changed prior to sampling and standardization)	15	☐							15				
NOTE NEW BATCH IN LOG BOOK	16	☐							16				
	17	☐							17				
	18	☐							18				
Notes: Sample was missing log sheet.	19	☐							19				
	20	☐							20				
	21	☐							21				
	22	☐							22				
	23	☐							23				
	24	☐							24				

Dissolved Oxygen Analysis Log Sheet

Last Updated: December 2011

Institute of Ocean Sciences

Water Properties Group

Cruise and Analysis Information	Nisk ID	Nisk Int	Sample ID	Flask 1	Depth (m)	Draw T 1 (°C)	OXY 1 (mL/L)	Comments	Nisk ID	Flask 2	Draw T 2 (°C)	OXY 2 (mL/L)	Comments
Cruise Number: 2014-03	1	☐							1				
Event: 6	2	☐	19	1055	5	7.1	6.511		2	2091	7.1	6.518	
Station: Q44	3	☐							3				
Event Date (Local): 7 Mar 2014	4	☐	10	3016	surf	7.0	6.804	Depth is wrong in software	4				
Analysis Date (Local): 12 Mar 2014	5	☐							5				
Analyst: Alice B m	6	☐							6				
Stdization Date (Local): 12 Mar 2014	7	☐							7				
KIO ₃ N: 0.0098302	8	☐							8				
Standard Titer: 0.06990	9	☐							9				
Blank Titer: 0.0037	10	☐							10				
THIO N: 0.14179	11	☐							11				
Sample Flask	12	☐							12				
Water Seal? No	13	☐							13				
Reagent Change? MnCl ₂	14	☐							14				
(Please circle reagent that was changed prior to sampling and standardization)	15	☐							15				
NaI/NaOH	16	☐							16				
H ₂ SO ₄	17	☐							17				
NOTE NEW BATCH IN LOG BOOK	18	☐							18				
THIO	19	☐							19				
Notes:	20	☐							20				
	21	☐							21				
	22	☐							22				
	23	☐							23				
	24	☐							24				

Dissolved Oxygen Analysis Log Sheet

Institute of Ocean Sciences
Water Properties Group

Last Updated: December 2011

depth = 5m → recorded on sample label

Cruise and Analysis Information	Nisk ID	Nisk Int	Sample ID	Flask 1	Depth (m)	Draw T 1 (°C)	OXY 1 (mL/L)	Comments	Nisk ID	Flask 2	Draw T 2 (°C)	OXY 2 (mL/L)	Comments
Cruise Number: 2014-03	1	☐	11	650	300	?	6.095	300m = max depth → 8 = sample	1	3116	?	6.101	
Event: 9	2	☐	12	2047	0	?	6.341	depth?	2				
Station: GA7	3	☐							3				
Event Date (Local): March 7, 2014	4	☐							4				
Analysis Date (Local): March 12, 2014	5	☐							5				
Analyst: KS	6	☐							6				
Stdization Date (Local): March 12, 2014	7	☐							7				
KIO ₃ N: 0.0098302	8	☐							8				
Standard Titer: 0.6990	9	☐							9				
Blank Titer: 0.0037	10	☐							10				
THIO N: 0.14179	11	☐							11				
Sample Flask Water Seal? ☒ Yes	12	☐							12				
	13	☐							13				
Reagent Change? MnCl ₂	14	☐							14				
(Please circle reagent that was changed prior to sampling and standardization)	15	☐							15				
NOTE NEW BATCH IN LOG BOOK	16	☐							16				
	17	☐							17				
	18	☐							18				
Notes: This sample set was also missing an oxy log sheet.	19	☐							19				
No draw T's recorded	20	☐							20				
	21	☐							21				
	22	☐							22				
	23	☐							23				
	24	☐							24				

gen Analysis Log Sheet

Last Updated

nces
p

ormation	Nisk ID	Nisk Int	Sample ID	Flask 1	Depth (m)	Draw T 1 (°C)	OXY 1 (mL/L)	Comments	Nisk ID	Flask 2	Draw T 2 (°C)	OXY 2 (mL/L)	Comments
2014-08	1	☐ ☐							1				
HB	2	☐ ☐	13	1035	5	7.2	6.529	Titration started before probe in sample	2	1015	7.2	6.515	
7-03-14	3	☐ ☐							3				
	4	☐ ☐	14	2060	504	7.1	6.566		4				
12 Mar 2014	5	☐ ☐							5				
Alice Bui	6	☐ ☐							6				
12 Mar 2014	7	☐ ☐							7				
0.0098302	8	☐ ☐							8				
0.06990	9	☐ ☐							9				
0.1037	10	☐ ☐							10				
0.14179	11	☐ ☐							11				
Yes	12	☐ ☐							12				
No	13	☐ ☐							13				
MnCl ₂	14	☐ ☐							14				
NaI/NaOH	15	☐ ☐							15				
H ₂ SO ₄	16	☐ ☐							16				
KIO ₃	17	☐ ☐							17				
THIO	18	☐ ☐							18				
	19	☐ ☐							19				
	20	☐ ☐							20				
	21	☐ ☐							21				
	22	☐ ☐							22				
	23	☐ ☐							23				
	24	☐ ☐							24				

9E01

0228

49

14-978

123

44

620

gen Analysis Log Sheet

Last Updated

nces
p

ormation	Nisk ID	Nisk Int	Sample ID	Flask 1	Depth (m)	Draw T 1 (°C)	OXY 1 (mL/L)	Comments	Nisk ID	Flask 2	Draw T 2 (°C)	OXY 2 (mL/L)	Comments
2013-03	1	☐	15	2000	300	8.3	3.416		1	2082	8.3	3.563	Bottle neck had some residue
CNODE	2	☐	16	570	300	8.2	3.436		2	2080	8.4	3.436	
8 MAR 14	3	☐							3				
	4	☐							4				
12 May 2014	5	☐							5				
CB	6	☐							6				
12 May 2014	7	☐							7				
0.0098302	8	☐							8				
0.06990	9	☐							9				
0.0037	10	☐							10				
0.14179	11	☐							11				
yes	12	☐							12				
No	13	☐							13				
MnCl ₂	14	☐							14				
NaI/NaOH	15	☐							15				
H ₂ SO ₄	16	☐							16				
KIO ₃	17	☐							17				
THIO	18	☐							18				
	19	☐							19				
	20	☐							20				
	21	☐							21				
	22	☐							22				
	23	☐							23				
	24	☐							24				

gen Analysis Log Sheet

Last Updated

nces
p

ormation	Nisk ID	Nisk Int	Sample ID	Flask 1	Depth (m)	Draw T 1 (°C)	OXY 1 (mL/L)	Comments	Nisk ID	Flask 2	Draw T 2 (°C)	OXY 2 (mL/L)	Comments
2013-03	1	☐	17	3109	175	8.3	3.818	unsure of depth - 175m is an assumption.	1	2094	8.3	3.812	
ENODE	2	☐	18	3151	175	8.3	3.870		2	3189	8.3	3.867	-small bubble under stopper
8 MAR 14	3	☐							3				
?	4	☐							4				
Event 12	5	☐							5				
03-12-2014	6	☐							6				
KS	7	☐							7				
03-12-2014	8	☐							8				
0.0098302	9	☐							9				
0.6990	10	☐							10				
0.0037	11	☐							11				
(es)	12	☐							12				
Vo	13	☐							13				
VnCl ₂	14	☐							14				
NaI/NaOH	15	☐							15				
H ₂ SO ₄	16	☐							16				
CO ₃	17	☐							17				
THIO	18	☐							18				
THIO N:	19	☐							19				
0.14179	20	☐							20				
	21	☐							21				
	22	☐							22				
	23	☐							23				
	24	☐							24				

