

Training 87ry

Water Properties Group

Sampling/Rosette Log

Institute of Ocean Sciences, Ocean Sciences Division

Cruise ID: 2015-03 Station: CWP1 Event #: 001 Vessel: VCG202R UTC Date (dd|mm|yyyy): 06|03|2015

Profile type: Ros (default) | TrMetRos | X-Niskin Watchkeeper(s): all

Bottom Depth: 332 m

Transmisso Cleaned: (Y) / N

Fluorometer Cleaned: (Y) / N

Time UTC Local

Start (BE) 15:20

Bottom (BO) 15:26

End (EN) 15:45

Bottles & Samples	Niskin #	Firing #	Sample #	Rosette Operation	Target Pressure	Confirmed Pressure	Oxy	Nut	Sal	Chl a	CDOM	TOC	DOC	DIC	Comments
-------------------	----------	----------	----------	-------------------	-----------------	--------------------	-----	-----	-----	-------	------	-----	-----	-----	----------

1	01	01-5					✓	✓								
2	02	350	1	330			✓	✓								Shallower than expected.
3	03	300	1	299			✓	✓								
4	04	250	1	250			✓	✓								
5	05	200	1	200			✓	✓								
6	06	150	1	150			✓	✓								
7	07	100	1	101			✓	✓								
8	08	75	1	75			✓	✓								
9	09	50	1	50			✓	✓								did not fire
10	10	30	1	30			✓	✓								
11	11	20	1	20			✓	✓								
12	12	10	1	10			✓	✓								
13	13	0	1	0			✓	✓								
14	14	0	1	0			✓	✓								
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																

Positional Information

Start Lat: 50° 20' 784" N Lon: 125° 25' 891" W

Bottom Lat: 50° 20' 764" N Lon: 125° 25' 891" W

Finish Lat: 50° 20' 726" N Lon: 125° 28' 944" W

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order, etc)

Cloudy, calm.

Standards for Sample Collection: WaterProperties.ca/standards

Water Properties Group

Sampling/Rosette Log

Institute of Ocean Sciences, Ocean Sciences Division

Cruise ID: 2015-03

Station: HEC-1

Event #: 006

Vessel: VECTOR

UTC Date (dd|mm|yyyy):

Bottles & Samples	Niskin #	Firing #	Sample #
Rosette Operation	Target Pressure ✓ Confirmed Pressure	Oxy	Nut Sal Chl a DIC TOC DOC CDOM SPM _{TOT}
Samples Taken (↓ write samplers' initials under each sample type)			
Comments			

Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
15	Bot-5	Bot-5	100	100	75	75	50	50	30	30	20	20	27	28	29	30								
16	136.7	136.7	100.2	100.2	75.5	75.5	50.5	50.5	30.1	30.1	20.2	20.2	9.8	9.8	1.6	1.6								
17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
22	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
23	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
24	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								

Transmissometer and Fluorometer are to be cleaned before each cast -- do not use Ammonia products

Version: 14 February 2013

Standards for Sample Collection: WaterProperties.ca/standards

See Sampling Notes on Cruise log

Bottom Depth:	142 m
Transmisso Cleared:	Y / N
Fluorometer Cleared:	Y / N

Positional Information

Lat: 52.44.25 N
Lon: 15.62.51 W

Start

Lat: 52.50	N
Lon: 129.621	W

Bottom

Lat: 52.50.00 N
Lon: 129.51.45 W

Finish

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order, etc)

Water Properties Group

Sampling/Rosette Log

Institute of Ocean Sciences, Ocean Sciences Division

Cruise ID: 2015-03

Station: C584

Event #:

Vessel:

UTC Date (dd|mm|yy):

[illegible][illegible]

Version: 14 February 2013

Transmissometer and Fluorometer are to be cleaned before each cast -- do not use Ammonia products

Standards for Sample Collection: WaterProperties.ca/standards

Profile type:	Ros (default) TrMetRos X-Niskin
Watchkeeper(s):	

Bottom Depth:	m
Transmissio Cleaned:	Y / N
Fluorometer Cleaned:	Y / N

Start (BE)	:	:
Bottom (BO)	:	:
End (EN)	:	:

Positional Information	
Lat:	°
Lon:	°
N	°
W	°

Lat:	•
Lon:	•

Lat:	*	0
Lon:	*	0

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order, etc)

Sampling/Rosette Log

Water Properties Group

Cruise ID: 2015-03 Station: SC74 Event #: 015 Vessel: USCGC R/V

Bottles & Samples	#	Firing	#	Sample	#	Rosette Operation	Target Pressure	Confirmed Pressure	Oxy	Nut	Sal	Chl a	TDC	DOC	CDOM	814	DOC	Comments

Profile type:	SV/CS/SP
Ros (default) T-Met/Ros X-Niskin	
Watchkeeper(s):	

Bottom Depth:	378	m
Transmisso Cleaned:	Y	N
Fluorometer Cleaned:	Y	N
Time	UTC	Local

Start (BE)	06:23	:
Bottom (BO)	06:32	:
End (EN)	06:54	:

Positional Information

Lat:	53° 0.69' N
Lon:	129° 15.989' W

Start

Lat:	53° 0.697' N
Lon:	129° 15.959' W

Bottom

Lat:	53° 0.696' N
Lon:	129° 15.906' W

Finish

Lat:	53° 0.696' N
Lon:	129° 15.906' W

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order, etc)

Sampling/Rosette Log

Water Properties Group

Cruise ID: 2015-03 Station: SC169 Vessel: USCGC Event #: 017 UTC Date (dd|mm|yyyy): 08 MAR 2015

Bottles & Samples		Rosette Operation		Samples Taken (↓ write samplers' initials under each sample type)		Comments		
Niskin #	Firing #	Sample #	Target Pressure	Confirmed Pressure	Oxy	Nut	Sal	Chl a

Profile type:	
Ros (default) TmetRos X-Niskin	
Watchkeeper(s):	

Bottom Depth: 689 m	
Transmisso Cleaned: Y / N	
Fluorometer Cleaned: Y / N	

Time	
UTC	Local
Start (BE)	07:30 23:30
Bottom (BO)	07:45 23:45
End (EN)	07:59 23:59

Positional Information

Lat: 53° 04.806 N	Lon: 129° 19.604 W
-------------------	--------------------

Start

Lat: 53° 04.820 N	Lon: 129° 19.720 W
-------------------	--------------------

Bottom

Lat: 53° 04.835 N	Lon: 129° 19.895 W
-------------------	--------------------

Finish

Lat: 53° 04.835 N	Lon: 129° 19.895 W
-------------------	--------------------

Standards for Sample Collection: WaterProperties.ca/standards

Transmissometer and Fluorometer are to be cleaned before each cast -- do not use Ammonia products

Version: 14 February 2013

NOTE: Niskins tripped for CTD - only 1 sample for sal.

Water Properties Group

Cruise ID: 2015-03

Event #:

22

Vessel:

VECTR.

Institute of Ocean Sciences, Ocean Sciences Division

[illegible][illegible]

Transmissometer and Fluorometer are to be cleaned before each cast -- do not use Ammonia products

Version: 14 February 2013

Standards for Sample Collection: WaterProperties.ca/standards

Profile type:	Ros (default) TrMetRos X-Niskin
Watchkeeper(s):	DM, CH, CW

Bottom Depth: 5.10 m	Transmisso Cleared: (Y) / N	Fluorometer Cleared: (Y) / N
Time		
UTC		
Local	Start (BE)	Bottom (BO)
	14:07	14:22
	07:07	07:22
	End (EN)	14:07

Positional Information	
Lat: 53° 11' 09.92" N	Lon: 129° 25' 15.8" W

Lat:	53° 11' 968	N
Lon:	129° 25' 214	W

Lat:	53	°	11	'	987	N
Lon:	129	°	25	'	214	W

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Nisskins out of order, etc)

Sampling/Rosette Log

Institute of Ocean Sciences, Ocean Sciences Division

Cruise ID: 2015-03

Station:

Event #:

27

Vessel:

Comments

# Niskin	# Firing	Bottles & Samples # Sample	Rosette Operation Target Pressure ✓ Confirmed Pressure	Oxy	Nut	Sal	Chl a	Samples Taken (↓ write samplers' initials under each sample type)						Comments
								TDC	DIC	8/18	COAT	DIC		

Profile type: Ros (default) | TrMet|Ros | X-Niskin

Watchkeeper(s):

[illegible]

Version: 14 February 2013

Transmissometer and Fluorometer are to be cleaned before each cast -- do not use Ammonia products

Standards for Sample Collection: WaterProperties.ca/standards

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order etc)

Lat:	53° 22' 210
Lon:	179° 11' 704

Lat: 53.22 N
Lon: 129.11 W

Positional Information	
Lat: 53° 22' 234 N	Lon: 129° 11' 693 W

Time		UTC		Local	
Start (BE)	10:23	11:23			
Bottom (BO)	10:32	11:32			
End (EN)	10:54	11:54			

Bottom Depth: 460	m
Transmisso Cleaned:	(Y) / N
Fluorometer Cleaned:	(Y) / N

Profile type:	Ros (default) TrMetRos X-Niskin
Watchkeeper(s):	cm! CH, DM, KS

2074



Water Properties Group

Sampling/Rosette Log

Institute of Ocean Sciences, Ocean Sciences Division

Cruise ID: 2016-03

Station: DOUG

Event #:

62

Vessel:

No 100

UTC Date (dd|mm|yyyy):

# Niskin #	# Firing #	Sample #	Rosette Operation Target Pressure ✓ Confirmed Pressure	Oxy	Nut	Sal	Chl a	DIC	TOC	DOC	g ₁₈	CDOM	Hylo	Comments
Bottles & Samples														
Rosette Operation														
Samples Taken (↑ write samplers' initials under each sample type)														
Comments														
Profile type: Ros (default) TriMetRos X-Niskin Watchkeeper(s):														

Profile type:	Ros (default) TrMetilRos X-Niskin
Watchkeeper(s):	
	SV, KS, LP, SP

Bottom Depth:	m
Transmisso Cleaned:	Y / N
Fluorometer Cleaned:	Y / N

<i>Time</i>	<i>UTC</i>	<i>Local</i>
Start (BE)	:	:
Bottom (BO)	:	:
End (EN)	:	:

Positional Information	
Lat:	°
Lon:	°
N	°
W	°

Lon:	°	W
Lat:	°	N

Lat:	°	'	"
Lon:	°	'	"

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order, etc)

[illegible]

Version: 14 February 2013

Transmissometer and Fluorometer are to be cleaned before each cast -- do not use Ammonia products

Standards for Sample Collection: WaterProperties.ca/standards

Sampling/Rosette Log

Water Properties Group

Cruise ID: 2015-03 Station: D00616 Event #: 23 Vessel: Veder UTC Date (dd|mm|yyyy): 09 | MAR | 2015

Profile type: Ros (default) | TrMet|Ros | X-Niskin Watchkeeper(s): sv

Bottom Depth: 385 m

Transmisso Cleaned: Y / N

Fluorometer Cleaned: Y / N

Time UTC Local

Start (BE) 0541

Bottom (BO) 0550

End (EN) 0611

Positional Information

Lat: 53° 46' 493 N

Lon: 128° 54' 419 W

Lat: 53° 46' 487 N

Lon: 128° 54' 437 W

Lat: 53° 46' 454 N

Lon: 128° 54' 462 W

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order, etc)

Bottles & Samples	#	Firing	Sample #	Rosette Operation	Target Pressure	Confirmed Pressure	Oxy	Nut	Sal	Chl a	DOC	TOC	SR	COAM	DIC	Comments
-------------------	---	--------	----------	-------------------	-----------------	--------------------	-----	-----	-----	-------	-----	-----	----	------	-----	----------

1	140		b-5	✓	380	x	x										
2	141		300	✓	292.8	x	x										
3	142		250	✓	272.6	x	x										
4	143		200	✓	192.6	x	x										
5	144		150	✓	150.1	x	x										
6	145		100	✓	98.4	x	x										
7	146		75	✓	75	x	x										
8	147		50	✓	50	x	x										
9	148		30	✓	30	x	x										
10	149		20	✓	20.1	x	x										
11	150		10		9.6	x	x										
12	151		0		0.8	x	x										
13	152		0		0.8												
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

Version: 14 February 2013
Transmissometer and Fluorometer are to be cleaned before each cast -- do not use Ammonia products

Standards for Sample Collection: WaterProperties.ca/standards

Water Properties Group

Sampling/Rosette Log

Institute of Ocean Sciences, Ocean Sciences Division

Cruise ID: 7015-03

Event #:

82

Vessel:

Verder

Comments

# Niskin	# Firing	Sample #	Rosette Operation Target Pressure	Confirmed Pressure	Oxy	Nut	Sal	Chla	DC	70C	DC	DC	810
Samples Taken (↓ write samplers' initials under each sample type)													

Rosette Operation	Target Pressure	Confirmed ✓	Pressure
-------------------	-----------------	-------------	----------

Samples Taken	Oxy	Nut
---------------	-----	-----

(↑ write sam)	Sai	Chla
---------------	-----	------

ers' initials un

er each samp

	(type)
--	--------

[illegible]

Comm	
------	--

Comments

Profile type:

Profile type:	Ros (default) TrMetilRos X-Niskin
Watchkeeper(s):	

CH, CH, CH

Bottom Depth: 452 m

Transmission Cleaned: Y / N

Fluorometer Cleaned:	Y / N
----------------------	-------

Time	UTC	Local
------	-----	-------

Start (BE)	08:59	02:59
------------	-------	-------

Bottom (BO)	09:10	02:10
-------------	-------	-------

End (EN)	:	:
----------	---	---

Positional Information

Lat: 53 40.44 N

Lon: 129° 07' 328 W

Lat: 53.40.43 N

Lon: 129.07.413 W

Lat: 53° 40' 42" N	Lon: 129° 07' 31" W
--------------------	---------------------

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order, etc)

Standards for Sample Collection: WaterProperties.ca/standards

Transmissometer and Fluorometer are to be cleaned before each cast -- do not use Ammonia products

Version: 14 February 2013

Water Properties Group

Sampling/Rosette Log

Institute of Ocean Sciences, Ocean Sciences Division

Cruise ID:

Station:

Event #:

39

Vessel: VE-72R

UTC Date (dd|mm|yyyy): 09 | 03 | 2015

[illegible][illegible]

Transmissometer and Fluorometer are to be cleaned before each cast -- do not use Ammonia products

Version: 14 February 2013

Standards for Sample Collection: [WaterProperties.ca/standards](#)

Profile type:	Ros (default) TrMetlRos X-Niskin
Watchkeeper(s):	CH, DW, CW

Bottom Depth: 295	m
Transmissio Cleaned:	Y / N
Fluorometer Cleaned:	Y / N

Time		UTC	Local
Start (BE)	10:30	03:30	
Bottom (BO)	10:40	03:40	
End (EN)	10:50	03:50	

Positional Information

Lat: 53° 36' 674 N
Lon: 129° 12' 812 W

Lat: 53.36.672 N
Lon: 129.12.784 W

Lat: 53.36.656 N
Lon: 129.12.744 W

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order, etc)

UTC Date (dd|mm|yyyy): 10 MAR 2015

Profile type: Ros (default) | TriMetRos | X-Niskin

Watchkeeper(s):

Bottom Depth: 497 m

Transmisso Cleaned: ☒ Y / ☐ N

Fluorometer Cleaned: ☐ Y / ☐ N

Time UTC Local

Start (BE) 08:11 : Bottom (BO) 08:28 : End (EN) 08:48 :

Positional Information

Lat: 53 ° 28 . 303 N Lon: 128 ° 18 . 852 W

Bottom

Lat: 53 ° 28 . 302 N Lon: 128 ° 18 . 844 W

Finish

Lat: 53 ° 28 . 297 N Lon: 128 ° 18 . 854 W

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order, etc)

Standards for Sample Collection: WaterProperties.ca/standards

500 m

Sampling/Rosette Log

Vector

Vessel:

Event #:

6551

Station:

Cruise ID: 2015-03

#	Niskin	#	Firing	#	Sample	Rosette Operation		Samples Taken (↓ write samplers' initials under each sample type)		Comments			
						Target Pressure	Confirmed Pressure	Oxy	Nut	Sal	Chl a		

1	232	b-5	✓	492	x			x					
2	233	450	✓	450	xx			xx					
3	234	400	✓	400	x			x					
4	235	350	✓	350	x			x					
5	236	300	✓	300	x			x					
6	237	250	✓	250	x			x					
7	238	200	✓	200	x			x					
8	239	150	✓	150	x			x					
9	240	100	✓	100	x			x					
10	241	75	✓	75	xx			xx					
11	242	50	✓	50	x			x					
12	243	30	✓	30	x			x					
13	244	20	✓	20	x			x					
14	245	10	✓	10	x			xx					
15	246	0	✓	0	x			x					
16													
17													
18													
19													
20													
21													
22													
23													
24													

Version: 14 February 2013

Transmissometer and Fluorometer are to be cleaned before each cast -- do not use Ammonia products

Water Properties Group

Sampling/Rosette Log

Institute of Ocean Sciences, Ocean Sciences Division

Cruise ID: 2015-03

Station: UC45

Event #: 75

Vessel: Vector

UTC Date (dd|mm|yyyy):

# Niskin	# Firing	# Sample	Rosette Operation Target Pressure ✓ Confirmed Pressure	Oxy	Nut	Sal	Chl a	Samples Taken (↓ write samplers' initials under each sample type)				Comments

Profile type:

Watchkeeper(s):

Ros (default) | TrMetRos | X-Niskin

Profile type:	Ros (default) TrMetlRos X-Niskin
Watchkeeper(s):	

Bottom Depth: 393	Transmisso Cleared: Y / N	Fluorometer Cleared: Y / N
-------------------	---------------------------	----------------------------

Time			UTC	Local
Start (BE)	04:36	:		
Bottom (BO)	04:47	:		
End (EN)	05:50	:		

Positional Information

Lat: 53.26.014 N	Lon: 128.55.502 W
------------------	-------------------

Lat: 53° 26' 020 N	Lon: 128° 55' 552 W
--------------------	---------------------

Lat: 53° 26' 022 N
Lon: 128° 55' 525 W

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order, etc)

Standards for Sample Collection: WaterProperties.ca/standards

Transmissometer and Fluorometer are to be cleaned before each cast – do not use Ammonia products

Version: 14 February 2013

Sampling/Rosette Log

Water Properties Group

Cruise ID: 2015-03 Station: FR56 Event #: 81 Vessel: Vector

Profile type: Ros (default) | T|Met|Ros | X-Niskin Watchkeeper(s):

CH.D.M.C.W

Bottom Depth: 440 m

Transmisso Cleaned: (Y) / N
Fluorometer Cleaned: Y / N

Time UTC Local

Start (BE) 07:27
Bottom (BO) 07:38
End (EN) 08:00

Positional Information
Lat: 53° 16.904 N
Lon: 128° 52.506 W

Bottom
Lat: 53° 16.892 N
Lon: 128° 52.502 W

Finish
Lat: 53° 16.884 N
Lon: 128° 52.510 W

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order, etc)

Standards for Sample Collection: Water Properties, cal/standards

Bottles & Samples	Niskin #	Firing #	Sample #	Rosette Operation	Target Pressure	Confirmed Pressure	Oxy	Nut	Sal	Chl a	Comments
-------------------	----------	----------	----------	-------------------	-----------------	--------------------	-----	-----	-----	-------	----------

1,2			263	b-5	✓	435	x	x			
2			264	460			x	x	x		
3			265	400	✓	400	x	x	x		
4			266	350	✓	350	x	x			
5			267	300	✓	300	xx	x			
6			268	250	✓	250	x	xx			
7			269	200	✓	200	x	xx			
8			270	150	✓	150	xx	x			
9			271	100	✓	100	x	x			
10			272	75	✓	75	x	x			
11			273	50	✓	50	x	x			
12			274	30	✓	30	x	x			
13			275	20	✓	20	x	x			
14			276	10	✓	10	x	x			
15			277	0	✓	0.4	x	x			
16											
17											
18											
19											
20											
21											
22											
23											
24											

Version: 14 February 2013

Transmissometer and Fluorometer are to be cleaned before each cast -- do not use Ammonia products

UTC Date (dd|mm|yyyy): 11 MAR 2015

Profile type:

Ros (default) | TrMet/Ros | X-Niskin

Watchkeeper(s):

Bottom Depth: 516 m

Transmisso Cleaned:

Y

 / N

Fluorometer Cleaned: Y / N

Time

UTC

Local

Start (BE)

10:28

Bottom (BO)

10:30

End (EN)

10:54

Positional Information

Lat: 53° 17' 800 N

Lon: 129° 08' 774 W

Bottom

Lat: 53° 17' 791 N

Lon: 129° 08' 850 W

Finish

Lat: 53° 17' 749 N

Lon: 129° 08' 808 W

Extra comments: (e.g., DMS cast, PAR on, Heavy Rain, Niskins out of order, etc)

Sampling/Rosette Log

Vessel: Vedor

Event #: 87

Station: WC50

Cruise ID: 2015-03

Bottles & Samples	#	# Firing	# Sample	Rosette Operation		Samples Taken (↓ write samplers' initials under each sample type)				Comments	
				Target Pressure	Confirmed Pressure	Oxy	Nut	Sal	Chl a		

1	278	6-5	✓	511	X	X					
2	279	500	✓	500	X	XX					
3	280	450	✓	445	X	X				fired 1st + on 1st move	
4	281	400	✓	400	X	X					
5	282	350	✓	350	XX	X					
6	283	300	✓	300	X	X					
7	284	250	✓	250	X	X					
8	285	200	✓	200	X	X					
9	286	150	✓	150	X	X					
10	287	100	✓	100	X	X					
11	288	75	✓	75	X	X					
12	289	50	✓	50	X	X					
13	290	30	✓	30	X	X					
14	291	20	✓	20	XX	X					
15	292	10	✓	10	X	XX					
16	293	0		1	X	X					
17											
18											
19											
20											
21											
22											
23											
24											

Transmissometer and Fluorometer are to be cleaned before each cast -- do not use Ammonia products