


UTC July 9th 2017



HAK1-B

Latitude: 51°42.7179

Longitude: 128°14.1647

Time: 0139 Date: July 9th

Depth: 143 m

HAKLB DeckCheck July 8, 2017

4X Vinyl on 3/4 Polt 1/2d

Virtuoso D 52985 - 1/2d 1/2 sling 7/16d
SBE37 1549

20.9 m 5/16 Polyester 7/16d 1/2d

AF36 w WH600 20706

SBE37000 15631

Indrum 457220

Pinger 1501-0003 24V 1/2d 1/2d

SeaFE 295 1/2d 1/2d Swivel 1/2d 7/16d
10 m 1/4" Amsted 7/16d 1/2d

Triple Boker trap 718486 86090B 718106 1/2d 0.5m chain 1/2d
SBE19+? 1/2d 1/2d Swivel 1/2d 1/2d sling 7/16d

20.3 m 5/16 Amsted II+ 7/16d 1/2d

SS30 2529 1/2d 1/2d

AQO 8558 SBE 37000 15635 1/2d 1/2d Swivel 1/2d 1/2d sling 7/16d

53.0 m 5/16" Amsted II+ 7/16d 1/2d

AF36 w WH 300 22893

Indrum 659050 1/2d 1/2d

Pinger 1501-0017 24.1V

AQO 11829 + SBE37000 11819 1/2d 1/2d Swivel 1/2d 5/8d

AR861 733 16B3+1655

5 m 1" Polt 1" d

3040 lb anchor w 2m chain

	Weight (kg)	Wet Weight (kg)	Length (m)	Inst. Height off btm (m)	Depth (m)	Net Weight below float (m)
4 Vintex on 3/4" Polysteel	3.50	-83.30	1.50	127.05		-573.20
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
SBE37+Virtuoso D In Frame	0.96	0.43	0.90	125.00	15.00	
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
Miller B212	0.77	0.67	0.10			
1/2" Shackle	0.37	0.32	0.05			
1/2" Sling Link	0.25	0.22	0.08			
7/16" Shackle	0.22	0.19	0.04			
1/4" Tenex	1.19	0.31	20.88	20.65	assumed 1.1% stretch	
7/16" Shackle	0.22	0.19	0.04			
1/2" Shackle	0.37	0.32	0.05			
WH600↑ In AF36 +SBE37ODO	221.00	-155.50	1.50	102.91	37.09	37.09
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
SeaFET In Frame	37.30	16.28	1.30	102.26	37.74	
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
MillerC3	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
1/2" Sling Link	0.25	0.22	0.08			
7/16" Shackle	0.22	0.19	0.04			
1/4" Spectra	0.57	0.16	10.00	9.96		
7/16" Shackle	0.22	0.19	0.04			
1/2" Shackle	0.37	0.32	0.05			
Triple Baker Trap	40	21.00	0.60	90.00	50.00	
1/2" Shackle	0.37	0.32	0.05			
5/16" chain			0.30			
1/2" Shackle	0.37	0.32	0.05			
SBE19+ In frame	18.70	-67.75	1.15	87.85	52.15	
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
MillerC3	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
1/2" Sling Link	0.25	0.22	0.08			
7/16" Shackle	0.22	0.19	0.04			
5/16" Amsteel II+	1.05	0.176	20.25	20.17		
7/16" Shackle	0.22	0.19	0.04			
1/2" Shackle	0.37	0.32	0.05			
SB30	76.00	-166.00	0.87			-635.11
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
Aquadopp↓+Microcat ODO	15.33	10.52	1.10	65.00	75.00	
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
MillerC3	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
1/2" Sling Link	0.25	0.22	0.08			
7/16" Shackle	0.22	0.19	0.04			
5/16" Amsteel II+	2.76	0.46	53.03	52.82		
1/2" Shackle	0.37	0.32	0.05			
AF44↑ w WH450+SBE37 ODO	452.00	-283.00	2.13	11.02	128.98	
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.36	0.31	0.05			
Aquadopp↓ ***	15.33	10.52	0.90	8.37	131.63	131.63
1/2" Shackle	0.36	0.31	0.05			
1/2" Shackle	0.37	0.32	0.05			
MillerC3	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
5/8" Shackle	0.76	0.67	0.06			
AR861 B2S	30.00	22.00	0.83	7.83		
Drop Link	2.3	2.01				
1" Poly		-0.14	5.00			
7/8" Shackle	1.8	1.57				
1" Chain	38.64	33.71	2.00			
		-425.89				

200
1.25