




CHAT2-2

Latitude: 54°15.7998

Longitude 130°46.~~7100~~

Time: 0019 Date: Aug 8th

Depth: 196 m

4 viny flat line

1/2"

microCAT 37 11731

1/2" 7/16"

5/16" tenex 21.0m

7/16" / 1/2" SS30 3004

1/2" / 1/2"

seafet 0428 1/2 / 1/2"

nordek 14634 / 37 5305

43.8m amsteel 7/16 / 1/2"

AF36 WH300 30472
iridium 659050

4

~~4~~ pings

0019

21.48V

1/2" / 1/2" SM2M+ 681524

1/2" / 1/2" / swivel / 1/2" / pearlink / 7/16"

11.6m amsteel 11+ 7/16 / 1/2"

AF36 iridium 3763300

WH300 20425

00037 12443

pings

19.1V

1/2" / 1/2" / swivel / 1/2" / pear / 7/16"

79.2m amsteel 11+ 1/2 / 7/16

SS30 M281 1/2" / 1/2"

Nordek 14845 / 00037 15632

1/2" / 1/2 / swivel / 1/2" / 5/8"

Release 1803 arm: 1A2B rel: 1A55

5m dropline

7/8"

anchors 33451bs

	Weight (kg)	Wet Weight (kg)	Length (m)	Inst. Height off btm (m)	Net Weight below float (m)	Inst. Depth (m)
4 Vines on 3/4" Polysteel	3.50	-83.30	1.50	178.05	-551.26	12.95
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
SBE37 + RBR Virtuoso D	0.96	0.43	0.90	176.00		15.00
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
Miller B212	0.77	0.67	0.10			
1/2" Shackle	0.37	0.32	0.05			
1/2" Sling Link	0.25	0.22	0.08			
7/16" Shackle	0.22	0.19	0.04			
5/16" Tenex	1.01	0.258	21.03			
7/16" Shackle	0.22	0.19	0.04			
1/2" Shackle	0.37	0.32	0.05			
SB30	76.00	-166.00	0.87		-389.16	
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
SeaFET in Frame	26.50	11.78	1.29	152.79	-262.96	38.21
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
SBE37	15.77	13.07	1.00	151.00		40.00
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
MillerC3	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
1/2" Sling Link	0.25	0.22	0.08			
1/2" Shackle	0.37	0.32	0.05			
7/16" Shackle	0.22	0.19	0.04			
5/16" Amsteel II+	2.28	0.32	43.81	0.57		
7/16" Shackle	0.22	0.19	0.04			
1/2" Sling Link	0.25	0.22	0.08			
AF361w WH300	221.00	-155.50	1.50	106.00	-263.31	85.00
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
SM2M+ in Frame	26.50	11.78	1.29	104.40		86.60
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
Miller C212	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
1/2" Sling Link	0.25	0.22	0.08			
7/16" Shackle	0.22	0.19	0.04			
5/16" Amsteel II+	0.60	0.09	11.60	11.55		
7/16" Shackle	0.22	0.19	0.04			
1/2" Shackle	0.37	0.32	0.05			
AF361w WH300+SBE37OD	221.00	-155.50	1.50	91.00	-123.29	100.00
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
MillerC3	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
1/2" Sling Link	0.25	0.22	0.08			
7/16" Shackle	0.22	0.19	0.04			
5/16" Amsteel II+	4.12	0.58	79.24	78.92		
7/16" Shackle	0.22	0.19	0.04			
1/2" Shackle	0.37	0.32	0.05			
SS30 (WHH)	76	-161.00	1.11	10.05		37.55
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
Aquadopp +SBE37 ODO	15.33	10.52	0.90	8.12		182.88
1/2" Shackle	0.37	0.32	0.05			
5/8" Shackle	0.76	0.67	0.06			
AR861 B2S	30.00	22.00	0.83	7.83		
Drop Link	2.3	2.01				
1" Polysteel	1.43	-0.18	5.00			
7/8" Shackle	1.8	1.57				
1" Chain	38.64	33.71	2.00			

estimated Amsteel II stretch 0.40%