




HAK1-4

Latitude: 51°42.6917

Longitude 128°14.1352

Time: 0122 Date: Aug 4th

Depth: 142 m

HAK1-4

August 2019
140 m Design Depth

	Weight (kg)	Wet Weight (kg)	Length (m)	Inst. Height off btm (m)	Depth (m)	Net Weight below float (m)
3/4" Poly	0.18	-0.02	5.00	105.35		34.65
1/2" Shackle	0.37	0.32	0.05			
WH600† in AF36 +SBE37ODO	221.00	-155.50	1.50	100.00	40.00	40.00
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
SeaFET in Frame	37.30	16.28	1.30	98.05	41.95	
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
MillerC3	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
1/2" Sling Link	0.25	0.22	0.08			
7/16" Shackle	0.22	0.19	0.04			
5/16" Amsteel II+	1.56	0.260	30.00	29.88		
7/16" Shackle	0.22	0.19	0.04			
1/2" Shackle	0.37	0.32	0.05			
SB30	76.00	-166.00	0.87			-196.25
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
SBE37	15.33	10.52	1.10	65.00	75.00	
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
MillerC3	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
1/2" Sling Link	0.25	0.22	0.08			
7/16" Shackle	0.22	0.19	0.04			
5/16" Amsteel II+	2.76	0.46	53.03	52.82		
1/2" Shackle	0.37	0.32	0.05			
AF44† w WH150+SBE37 ODO	452.00	-283.00	2.13	11.02	128.98	
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.36	0.31	0.05			
Aquadopp† ***	15.33	10.52	0.90	8.37	131.63	131.63
1/2" Shackle	0.36	0.31	0.05			
1/2" Shackle	0.37	0.32	0.05			
MillerC3	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
5/8" Shackle	0.76	0.67	0.06			
AR861 B2S	30.00	22.00	0.83	7.83		
Drop Link	2.3	2.01				
1" Poly		-0.14	5.00			
7/8" Shackle	1.8	1.57				
1" Chain	38.64	33.71	2.00			

2185

HAWK-4 Aug 3/2019

4 viny Flat line

1/8"

microCT 5307

1/2"

1/2" pearlink

7/16"

2m tenex

7/16"

1/2"

AF36

w/

WH600

3694

SB37

20655

brcon

0650070

1/2"

1/2"

SeafET 0245

1/2"

1/2"

swivel

1/2"

1/2" pear

7/16"

30.0m amsteel 11+

~~7/16"~~ 7/16"

1/2"

SS30

1/2"

1/2"

SB37

20672

1/2"

1/2"

swivel

1/2"

1/2" pear

7/16"

53.0 amsteel 11+

7/16"

1/2"

AF36 w/

WH

2071

pingers

9022

1/2"

1/2"

agquadopp

1161

SB37

11617

1/2"

1/2"

swivel

1/2"

5/8"

AR861

1561

asm: 0954

rel: 0955

drop link

5m drop line

7/8"

anchors w/ 2m chain 3038lbs