

LBB-2

August 2019
343 m Design Depth

	Weight (kg)	Wet Weight (kg)	Length (m)	Inst. Height off btm (m)	Net Weight below float (m)	Inst. Depth (m)
WH300 w 8 Vinies	37.30	-151.72	1.29	299.74	-368.04	43.27
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
Miller C212	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
7/16" Shackle	0.22	0.19	0.04			
5/16" Amsteel II+	14.98	2.12	288.00	286.85		
7/16" Shackle	0.22	0.19	0.04			
1/2" Shackle	0.37	0.32	0.05			
AF44↑ w LR75+SBE37 ODO	452.00	-283.00	2.13	10.12		332.88
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
MillerC3	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
5/8" Shackle	0.76	0.67	0.06			
AR861 B2S	30.00	22.00	0.83	7.83		
Drop Link	2.3	2.01				
1" Polysteel	1.43	-0.18	5.00			
7/8" Shackle	1.8	1.57				
1" Chain	38.64	33.71	2.00			
estimated Kevlar stretch						0.40%

LB-2 Deck Check Aug 10, 2019

5m 3/4 Poly w 8" Foot 1/2d

AF36 w WH300 22893

Pinger 0003 20.9V

SB37000 15624

Indium 0652070 1/2d 1/2d Swivel 1/2d 1/2d 7/64

288m 5/16" Am steel 7/64 1/2d

AF44 w LR75 15482

SB37000

Pinger

1/2d 1/2d Swivel 1/2d 5/8d

AR861 2497 Arm 16E0 1655 5.1.1.5

5m 1" Poly 7/8d

2m heavy chain

145416 Anchor