



### Quat1-4

Latitude: 50°24.819

Longitude 128°0.310

Time: 1951 Date: June 14

Depth: 186

Quat1-4

June 2024

186 m Design Depth

	Weight (kg)	Wet Weight (kg)	Length (m)	Inst. Height off btm (m)	Net Weight below float (m)	Inst. Depth (m)
3/4" Poly Pickup Line	0.18	-0.02	5.00			
1/2" Shackle	0.37	0.32	0.05			
HF36↑ with Workhorse	197.00	-170.50	1.50	146.00	-507.95	40.00
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
Miller C212	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
7/16" Shackle	0.22	0.19	0.04			
5/16" Amsteel II+	1.30	-0.0624	57.34	57.11	measured length 0.4% stretch	
7/16" Shackle	0.22	0.19	0.04			
1/2" Shackle	0.37	0.32	0.05			
SS-28	64.00	-133.00	1.11			-207.46
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
Aquadopp↓+Microcat	15.33	10.52	0.90	86.00	-207.78	100.00
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
Miller C212	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
1/2" Sling Link	0.25	0.22	0.08			
7/16" Shackle	0.22	0.19	0.04			
5 mm Dynice Dux	1.68	-0.0807	74.09	74.54	.4% stretch 1% meter error	
7/16" Shackle	0.22	0.19	0.04			
1/2" Shackle	0.37	0.32	0.05			
AF44↑+WH150+SBE37 ODO	452.00	-283.00	2.13	10.02		175.98
1/2" Shackle	0.37	0.32	0.05			
1/2" Shackle	0.37	0.32	0.05			
MillerC3	1.23	1.07	0.15			
1/2" Shackle	0.37	0.32	0.05			
5/8" Shackle	0.76	0.67	0.06			
AR861 B2S	30.00	22.00	0.83	7.83		
Drop Link	2.3	2.01				
1" Polysteel	1.43	-0.18	5.00			
7/8" Shackle	1.8	1.57				
1" Chain	38.64	33.71	2.00			
estimated stretch	0.40%					